

PLUMBING & ELECTRICAL

PRODUCT
GUIDE



Call: **01302 788700**

Fax: **01302 390004**

Email: **sales@centurioneurope.co.uk**

Web: **www.centurioneurope.co.uk**

For brands you can trust

Welcome

At Centurion we pride ourselves on offering a quality range of products and providing exceptional service.

Starting out in 1984 as a sole trading business, we have grown to become one of the UK's largest distributors of products for the DIY enthusiast and building professional trades. Today we stock around 27,000 products at our 90,000sqft distribution centre in Doncaster, enabling us to provide a quick turnaround in getting product to your door.

With over 35 years experience of distributing thousands of products into independent retailers, builders merchants and mass retailers, we have a wealth of knowledge and have always been proud in ensuring the products we source, whether our own house brands or other well-known brands, are of the highest quality whilst affordably priced.

Centurion work hard to maintain a consistently high standard of quality throughout their brands. To achieve this we ensure ongoing development of a quality management system that meets the requirements of ISO 9001:2015 and ISO 14001:2015 accreditations, as well as the development of personnel to match the needs and expectation of the business, whilst also ensuring that the full potential of each employee is fulfilled.





Index / Contents

	Customer Service	04 - 05
	Merchandising Made Easy	06
	Distribution	07
	Delivery & Payment	07
	Plumbing	08 - 31
	Electrical	32 - 51
	Index 0-9	52
	Index A-Z	53
	Notes	54 - 55
	Trading T&C's	56 - 58
	Company History	59

Service

Excellent customer service involves not only meeting customer expectations but also surpassing it. Here at Centurion, our established team pride themselves on developing effective working partnerships with our customers, recognising individual needs and tailoring our service accordingly.

With a 99.9% order processing accuracy rate, we endeavour to get it right first time. We genuinely care about our customers experience and continually analyse and improve our service so that we may deliver exactly what is needed.

Core Values

- Dependability • Reliability • Loyalty • Commitment • Honesty • Efficiency

How to buy *Ways to get in touch ...*

Call us Monday to Friday, 8:00am - 5:00pm.

Need to order outside office hours?

Why not register for your online account today...

It gives you instant access to our:

- 27,000 products
- Top brands
- News and updates
- Latest deals and offers
- Merchandising options

Mobile and tablet friendly, visit us online whenever and wherever you are.





Call: **01302 788 700**

Fax: **01302 390 004**

Email: **sales@centurioneurope.co.uk**

Visit: **centurioneurope.co.uk**

Hunt Lane, Doncaster, DN5 9SH, UK



What our customers say...

“Centurion has been a great supplier to work with, always going the extra mile providing us with all the support we require. We stock a vast range of their products and because of their excellent delivery times and cohesive ranges, we have benefited from a great upturn in sales”

Manager - WM Waites

“We have worked with Centurion for many years and they have constantly helped drive sales in our business; providing great merchandising expertise, reliable and trustworthy representatives and brilliant customer care”

Procurement Manager - TI Trading

“Centurion have been a big part in the start-up of my business, having gone above and beyond the call of duty with merchandising, product selection and giving their knowledge of the industry”

Abercynon Hardware & Pets

“We’ve been with Centurion for over thirty years and they have become a mainstay of our business. This because, at least for a business like ours, the service they provide is invaluable. They seem to have a knack of providing just what we need and have carved a niche with some very popular products that no other supplier has spotted a market for. We are confident in saying that our very busy independent store would not be where it is today without Centurion”

Bishopston Hardware



Merchandising Made Easy

Let us help maximise your sales with our effective and well respected point of sale and merchandising support.

Designed with the retailer and customer in mind, our merchandisers and point of sale displays maximise use of floor, wall or counter top retail space, while making sure products are seen clearly and effectively.

Centurion can also help you to select the right range for your customer and along with our in-house facilities, we can design and manufacture bespoke point of sale and merchandising units tailored to your needs.

For more details
Call 01302 788700 or visit: www.centurioneurope.co.uk/merchandising

Effective elements of Visual Merchandising



COLOUR IS KING

Use colour to catch the eyes of your customers and draw them to your displays



CREATE A FOCAL POINT

Always check your displays to ensure customers can easily view the hotspots and merchandise



TELL A STORY

Use powerful, sales-enabling signage to display the advantages of buying the product



EMPTY SPACE

Use empty space for signage providing customer testimonials with the customers details



EXPOSE CUSTOMERS

A well-designed, impactful display exposes the customer to as much merchandise as possible while avoiding a sloppy mess!



Plumbing

Here at Centurion we recognise that our customers have different needs dependent on their customers and this is the reason we offer a wider range of supplies outside of our traditional Hardware & Ironmongery.

Our Plumbing Solutions range of fittings and accessories cover essential items such as pipe connectors and fittings, waste fittings, bathroom and shower accessories and fittings, vents and much more.

Our range continues to grow as we source some of the best quality and value products on the market for the home.

Icon **KEY**

NEW

New products
within the range

NSL

Loose Products only
supplied in box quantities

Contents

Pipe Connectors and Fittings	10 - 16
Radiator and Service Keys	17 - 18
Waste Fittings	18 - 20
Washing Machine and Tumble Dryer Fittings	20 - 23
Toilet and Cistern Fittings	23 - 25
Toilet and Bathroom Accessories	26
Shower Accessories and Fittings	26 - 27
Taps and Fittings	27 - 30
Gas Cooker Fittings	30
Drain Grids, Vents and Outlets	31
Plumbing Accessories	31



Packed Products only
supplied in outer quantities



New sizes added to
existing product ranges



Pipe Connectors and Fittings

Solder Ring Copper Straight Coupling

- Manufactured with lead free solder.
- Suitable for use with Potable water.
- BS EN 1254-2 WRAS.

NEW SIZE **NSP**



Description	Code	Pack Qty	Outer Qty
10mm	YS07P	2	5
15mm	YS01P	2	5
15mm	YS30P	5	3
22mm	YS02P	1	5

Solder Ring Copper Elbow

- Manufactured with lead free solder.
- Suitable for use with Potable water.
- BS EN 1254-2 WRAS.

NEW SIZE **NSP**



Description	Code	Pack Qty	Outer Qty
10mm	YS08P	2	5
15mm	YS12P	2	5
15mm	YS31P	5	3
22mm	YS13P	1	5

Solder Ring Copper Tee

- Manufactured with lead free solder.
- Suitable for use with Potable water.
- BS EN 1254-2 WRAS.

NEW SIZE **NSP**



Description	Code	Pack Qty	Outer Qty
15mm	YS23P	1	5
15mm	YS32P	5	3
22mm	YS24P	1	5

Solder Ring Copper Reducing Tee

- Manufactured with lead free solder.
- Suitable for use with Potable water.
- BS EN 1254-2 WRAS.

NSP



Description	Code	Pack Qty	Outer Qty
22 x 22 x 15mm	YS25P	1	5

Solder Ring Copper Fitting Reducer

- Manufactured with lead free solder.
- Suitable for use with Potable water.
- BS EN 1254-2 WRAS.

NEW SIZE **NSP**



Description	Code	Pack Qty	Outer Qty
15 x 10mm	YS09P	1	5
22 x 15mm	YS06P	1	5

Solder Ring Copper Straight Tap Connector

- Manufactured with lead free solder.
- Suitable for use with Potable water.
- BS EN 1254-2 WRAS.

NSP



Description	Code	Pack Qty	Outer Qty
15mm x 1/2"	YS62P	1	5
22mm x 3/4"	YS63P	1	5

Solder Ring Copper Bent Tap Connector

- Manufactured with lead free solder.
- Suitable for use with Potable water.
- BS EN 1254-2 WRAS.

NSP



Description	Code	Pack Qty	Outer Qty
15mm x 1/2"	YS64P	1	5

Solder Ring Copper Stop End

- Manufactured with lead free solder.
- Suitable for use with Potable water.
- BS EN 1254-2 WRAS.

NSP



Description	Code	Pack Qty	Outer Qty
15mm	YS60P	1	5
22mm	YS61P	1	5

Copper Saddle Pipe Clips

- Quick and easy to install.
- Securely holds pipework in place.

NSL **NSP**



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
15mm	PA118L	100	PA118P	5	5
22mm	PA119L	100	PA119P	5	5

View our full product offerings online

www.centurioneurope.co.uk

Brass Compression Straight Coupling

- For connecting two sections of pipe together.
- Suitable for use with copper and plastic pipes with the suitable inserts.
- No soldering is required.
- Can be used for hot and cold water systems.
- BS EN 1254-2 WRAS.



NEW SIZE **NSP**

Description	Code	Pack Qty	Outer Qty
10mm	CO40P	1	5
15mm	CO01P	1	5
15mm	CO45P	5	3
22mm	CO02P	1	5

Chromed Compression Straight Coupling

- For connecting two sections of pipe together.
- Suitable for use with copper and plastic pipes with the suitable inserts.
- No soldering is required.
- Can be used for hot and cold water systems.
- BS EN 1254-2 WRAS.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm	CO04P	1	5

Brass Compression Reducing Coupling

- For connecting two sections of pipe together.
- Suitable for use with copper and plastic pipes with the suitable inserts.
- No soldering is required.
- Can be used for hot and cold water systems.
- BS EN 1254-2 WRAS.



NEW SIZE **NSP**

Description	Code	Pack Qty	Outer Qty
15 x 10mm	CO03P	1	5
15 x 12mm	CO26P	1	5

Compression Male Adaptor

- For connecting two sections of pipe together.
- Suitable for use with copper and plastic pipes with the suitable inserts.
- No soldering is required.
- Can be used for hot and cold water systems.
- BS EN 1254-2 WRAS.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm x 1/2 Thread	CO27P	1	5

Compression Female Adaptor

- For connecting two sections of pipe together.
- Suitable for use with copper and plastic pipes with the suitable inserts.
- No soldering is required.
- Can be used for hot and cold water systems.
- BS EN 1254-2 WRAS.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm x 1/2 Thread	CO28P	1	5

Brass Compression Elbow

- Easy to install.
- A 90° bend to change direction of a pipe.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- No soldering is required.
- BS EN 1254-2 WRAS.



NEW SIZE **NSP**

Description	Code	Pack Qty	Outer Qty
10mm	CO41P	1	5
15mm	CO11P	1	5
15mm	CO456P	5	3
22mm	CO12P	1	5

Chromed Compression Elbow

- Easy to install.
- A 90° bend to change direction of a pipe.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- No soldering is required.
- BS EN 1254-2 WRAS.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm	CO05P	1	5

Brass Compression Male Elbow

- Easy to install.
- A 90° bend to change direction of a pipe.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- Ideal for water, oil & gas systems.
- No soldering is required.
- BS EN 1254-2 WRAS.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm x 1/2 Thread	CO29P	1	5

Ordering made easy



Receive



Process



Pick



Pack



Deliver

Brass Compression Female Elbow

- Easy to install.
- A 90° bend to change direction of a pipe.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- Ideal for water, oil & gas systems.
- No soldering is required.
- BS EN 1254-2 WRAS.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm x 1/2" Thread	CO30P	1	5

Brass Compression Tee

- Easy to install.
- Used to branch of a pipe.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- No soldering is required.
- BS EN 1254-2 WRAS.



NSP

Description	Code	Pack Qty	Outer Qty
15mm	CO24P	1	5
22mm	CO25P	1	5

Chromed Compression Tee

- Easy to install.
- Used to branch of a pipe.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- No soldering is required.
- BS EN 1254-2 WRAS.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm	CO37P	1	5

Brass Compression Straight Tap Connector

- Easy to install.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- No soldering is required.
- BS EN 1254-2 WRAS.



NEW SIZE **NSP**

Description	Code	Pack Qty	Outer Qty
15mm x 1/2" BSP	CO08P	1	5
22mm x 3/4" BSP	CO09P	1	5

Chromed Compression Straight Tap Connector

- Easy to install.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- No soldering is required.
- BS EN 1254-2 WRAS.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm x 1/2"	CO31P	1	5

Brass Compression Bent Tap Connector

- Easy to install.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- No soldering is required.
- BS EN 1254-2 WRAS.



NSP

Description	Code	Pack Qty	Outer Qty
15mm x 1/2" BSP	CO10P	1	5

Brass Compression Wall Plate Elbow

- For use with garden hose taps.
- BS EN 1254-2 WRAS.



NSP

Description	Code	Pack Qty	Outer Qty
15mm x 1/2"	CO06P	1	5

Brass Compression Tank Connector

- The compression tank connector fitting connects your water pipe to a storage tank and does not require heat or solder.
- No soldering required



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15mm	CO32P	1	5

Brass Compression Stop End

- Easy to install.
- For capping off and terminating a pipe.
- Suitable for use on copper and plastic pipes with the suitable inserts.
- No soldering is required.
- BS EN 1254-2 WRAS.
- BS EN 1254-2 WRAS.



NEW SIZE **NSP**

Description	Code	Pack Qty	Outer Qty
10mm	CO42P	1	5
15mm	CO13P	1	5
15mm	CO47P	5	3
22mm	CO14P	1	5



Customer Service Support



Marketing Support



24hr Online Ordering



FREE delivery on web orders over £75

Copper Olive Rings

- Olive rings are used to create a water tight seal in compression plumbing fittings.
- Suitable for domestic and commercial heating and plumbing applications.
- BS EN 1254-2 WRAS.



NSP

Description	Code	Pack Qty	Outer Qty
15mm	CO19P	4	5
22mm	CO20P	4	5

Brass Blank Cap

- A threaded brass fitting used to close an opening of a pipe.



NEW NSP

Description	Code	Pack Qty	Outer Qty
1/2"	CO33P	1	5
3/4"	CO34P	1	5

Brass Flanged Back Nut

- Use in conjunction with washer to make water tight.



NEW NSP

Description	Code	Pack Qty	Outer Qty
1/2"	CO35P	1	5
3/4"	CO36P	1	5

Brass Gate Valves

- Enables two lengths of copper pipe/tube to be easily connected on hot or cold systems.
- Red wheelhead handle.
- Manufactured to BS5154-PN16 rated.



NSP

Description	Code	Pack Qty	Outer Qty
15mm C x C	PA06P	1	3
22mm C x C	PA07P	1	3

Lever Type Ball Valve

- With Red/Blue ID Rings



NEW NSP

Description	Code	Pack Qty	Outer Qty
15mm	PA520P	1	3
22mm	PA521P	1	3

Chromed Isolating Valve

- Screw type.
- Pressure tested to 10 bar.
- Operation by screwdriver slot.
- Compression ends to BS EN1254-2.
- Manufactured to BS6675.
- WRC approved.



NEW SIZE NSP

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
15mm C x C	PA252L	5	PA252P	1	5
15mm C x C			PA253P	5	3
22mm C x C	PA419L	5	PA419P	1	3

Chromed Lever Type Isolating Valve

- The isolating valve is used to turn off the flow of fluid from part of the system.
- Black Lever.
- Operation by plastic handle.
- Compression ends to BS EN1254-2.
- Manufactured to BS6675.



NSP

Description	Code	Pack Qty	Outer Qty
15mm C x C	PA420P	1	5

Brass Isolating Valve

- The isolating valve is used to turn off the flow of fluid from part of the system.
- Screw type.
- Operation by screwdriver slot.
- Compression ends to BS EN1254-2.



NSP

Description	Code	Pack Qty	Outer Qty
15mm C x C	PA421P	1	5

Brass Check Valve

- Reduces risk of contamination in water supply.
- Prevent back flow & back-siphonage.



NEW NSP

Description	Code	Pack Qty	Outer Qty
15mm C x C	PA503P	1	3

Chromed Straight Service Valve

- Turns off used water supply from system.
- No draining needed on the entire system.



NEW NSP

Description	Code	Pack Qty	Outer Qty
15 x 1/2"	PA504P	1	3

Place your order today



sales@centurioneurope.co.uk



01302 788 700

Chromed Bent Service Valve

- Connects or locks off water supply from any fitting.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
15 x 1/2"	PA505P	1	3

Brass Draw Off Cock

- Allows drainage from the central heating system.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
1/2" Type A	PA507P	1	5
15mm Type A	PA508P	1	5

Brass Stopcock

- Ideal for restricting or shutting of the incoming water main.
- Manufactured to BS EN1213.
- Compression ends to BS EN 1254-2.



NEW SIZE **NSP**

Description	Code	Pack Qty	Outer Qty
15mm C x C	PA04P	1	3
22mm C x C	PA509P	1	3

Brass Garden Hose Bib Tap

- An outside / garden water tap.
- Manufactured to BS EN1213.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
1/2"	PA10L	5	PA10P	1	3

Brass Garden Hose Bib Tap With Check Valve

- An outside / garden water tap.
- Manufactured to BS EN1213.
- WRC approved.



NSP

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
1/2"	PA254L	1	PA254P	1	3

Spare Brass Nozzle

- For garden hose tap.
- Includes a spare washer.



NSP

Description	Code	Pack Qty	Outer Qty
1/2" Tail	PA12P	1	5

Outside Garden Tap Kit

- Easy DIY outside garden tap kit.
- Easy to fit.
- Simply connects to existing cold water supply.
- Includes full fitting instructions.
- Conforms to water regulations.
- Includes double check valve.
- Quarter turn action.



Description	Code	Pack Qty	Outer Qty
Tap Kit	PA394P	1	1

Plastic Equal Straight Coupling

- Push-fit plastic fitting for the connection of plastic and copper pipe.
- Suitable for hot and cold water and central heating systems.
- BSI and WRAS approved.



NSP

Description	Code	Pack Qty	Outer Qty
15mm	PA300P	1	5
22mm	PA301P	1	3

Plastic Equal Elbow

- Push-fit plastic fitting for the connection of plastic and copper pipe.
- Suitable for hot and cold water and central heating systems.
- BSI and WRAS approved.



NSP

Description	Code	Pack Qty	Outer Qty
15mm	PA302P	1	5
22mm	PA303P	1	3

Plastic Reducing Elbow


- Push-fit plastic fitting for the connection of plastic and copper pipe.
- Suitable for hot and cold water and central heating systems.
- BSI and WRAS approved.



NSP

Description	Code	Pack Qty	Outer Qty
22 x 15mm	PA375P	1	3

ORDER ANYTIME ANYWHERE 24/7



Plastic Equal Tee

- Push-fit plastic fitting for the connection of plastic and copper pipe.
- Suitable for hot and cold water and central heating systems.
- BSI and WRAS approved.



Description	Code	Pack Qty	Outer Qty
15mm	PA304P	1	5
22mm	PA305P	1	3

Plastic Straight Tap Connector

- Push-fit valve for the connection of plastic and copper pipe.
- Not suitable central heating systems.
- BSI and WRAS approved.



Description	Code	Pack Qty	Outer Qty
15mm x 1/2"	PA308P	1	5

Plastic Stop End

- Push-fit plastic fitting for the connection of plastic and copper pipe.
- Suitable for hot and cold water and central heating systems.
- BSI and WRAS approved.



Description	Code	Pack Qty	Outer Qty
15mm	PA306P	1	5
22mm	PA307P	1	3

Plastic Service Valve

- Push-fit valve for the connection of plastic and copper pipe.
- Not suitable central heating systems.
- BSI and WRAS approved.



Description	Code	Pack Qty	Outer Qty
15mm	PA309P	1	3

Plastic Appliance Tap

- Push-fit plastic fitting for the connection of plastic and copper pipe.
- Not suitable central heating systems.
- BSI and WRAS approved.



Description	Code	Pack Qty	Outer Qty
15mm x 3/4" BSP	PA380P	1	3

Plastic Emergency Shut-Off Tap

- Push-fit plastic fitting for the connection of plastic and copper pipe.
- Not suitable central heating systems.
- BSI and WRAS approved.



Description	Code	Pack Qty	Outer Qty
15mm	PA382P	1	3

Pipe Inserts

- Speedfit.
- 2 O rings provide enhanced seal.
- Helps to maintain structural integrity of the pipe.
- Suitable for hot and cold water.
- Suitable for central heating systems.
- BSI and WRAS approved.



Description	Code	Pack Qty	Outer Qty
15mm	PA311P	2	5
22mm	PA312P	2	5

Flexible Hose Connector

- White flexible hose.
- Suitable for drinking water.
- WRAS approved.



Description	Code	Pack Qty	Outer Qty
15 x 1/2" x 300mm	PA376P	1	3
22 x 3/4" x 300mm	PA377P	1	3

Flexible Tap Connector

- An alternative to hard piping to a tap and easier and quicker to install in confined spaces.
- Flexible tap connector.
- Standard bore.
- With nickel plated brass fittings.
- WRC approved.



Description	Code	Pack Qty	Outer Qty
300mm			
15mm x 1/2"	PA123P	1	3
15mm x 3/4"	PA245P	1	3
22mm x 3/4"	PA139P	1	3
500mm			
15mm x 1/2"	PA395P	1	3



Customer Service Support



Marketing Support



24hr Online Ordering



FREE delivery on web orders over £75

View our full product portfolio online
www.centurioneurope.co.uk

Flexible Tap Connector with Isolating Valve

- Stainless steel, standard bore with nickel plated brass fittings.
- Complete with isolating valve.
- Suitable for drinking water.
- WRAS approved.



NSP

Description	Code	Pack Qty	Outer Qty
15mm x 1/2" x 300mm	PA422P	1	3

Push Fit Flexible Tap Connector

- Stainless steel, standard bore with nickel plated brass fittings.



NEW NSP

Description	Code	Pack Qty	Outer Qty
15mm x 1/2" x 300mm	PA511P	1	3
22mm x 3/4" x 300mm	PA512P	1	3

Push Fit Flexible Tap Connector with Isolating Valve

- Stainless steel, standard bore with nickel plated brass fittings.



NEW NSP

Description	Code	Pack Qty	Outer Qty
15mm x 1/2" x 300mm	PA513P	1	3

Flexible Tube to Tube Connector

- Stainless steel, standard bore with nickel plated brass fittings.
- Compression hose.
- Tube to tube.



NSP

Description	Code	Pack Qty	Outer Qty
15mm x 15mm x 300mm	PA423P	1	5

Flexible Tap Tails

- Stainless steel to be used with monoblock taps.
- Suitable for drinking water.
- WRAS approved.



NEW SIZE NSP

Description	Code	Pack Qty	Outer Qty
M10 x 15mm x 300mm	PA424P	1	3
M12 x 15mm x 300mm	PA514P	1	3

Place your order today



sales@centurioneurope.co.uk



01302 788 700

Plastic Snap Fix Pipe Clips

- Provides a strong and reliable snap fit pipe fixing.



NSL NSP

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
15mm	PA121L	100	PA121P	4	5
22mm	PA122L	100	PA122P	4	5

Plastic Nail in Pipe Clips

- Nail fix.
- Provides a strong reliable fixing.
- Suitable for use with plastic and copper pipe.



NEW SIZE NSL

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
10/12mm	PA510L	100	PA510P	5	5
15mm	PA315L	100	PA315P	5	5
22mm	PA316L	100	PA316P	5	5

Pipe Cover

- Improves the look of exposed pipe work.



Description	Code	Pack Qty	Outer Qty
15 x 200mm White	PA405P	2	5
15 x 200mm Chrome	PA406P	2	5

Plastic Pipe Collars

- Conceals unsightly penetrations through floors and walls.
- 45mm / Space in centre diameter: 15mm.



Description	Code	Pack Qty	Outer Qty
15mm White	FC31P	4	5
15mm Pine Effect	FC32P	4	5
15mm Oak Effect	FC36P	4	5

ORDER ANYTIME ANYWHERE 24/7



www.centurioneurope.co.uk

Radiator and Service Keys

Angled Radiator Valve

- Ideal for a clean finish when pipework has come out of the wall.
- Essential item for heated towels and wall mounted radiators.



NEW SIZE **NSP**

Description	Code	Pack Qty	Outer Qty
8mm	PA515P	1	3
10mm	PA516P	1	3
15mm	PA01P	1	3

Straight Radiator Valve

- Designed for pipework that sits in the floor.
- Essential item for heated towels and wall mounted radiators.



NEW SIZE

Description	Code	Pack Qty	Outer Qty
15mm	PA517P	1	3

Angled Chrome Radiator Valve

- Ideal for a clean finish when pipework has come out of the wall.
- Essential item for heated towels and wall mounted radiators.



NEW

Description	Code	Pack Qty	Outer Qty
15mm	PA518P	1	3

Thermostatic Radiator Valve

- Operating range 7-28°C.
- 120°C max working temperature.
- Fits vertically or horizontally.
- Liquid sensor.



Description	Code	Pack Qty	Outer Qty
15mm	PA02P	1	1

Directional Radiator Air Vent Bleed Valve With Plug Model

- Valve is manual open air vent for radiators.
- Open with screw driver or designated radiator key.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
½" Chrome	PA522P	1	5

Boiler Filling Loop

- Connects central heating system to the main water supply.



NEW

Description	Code	Pack Qty	Outer Qty
15mm Straight	PA523P	1	1

Universal Radiator Brackets

- Ideal for standard compact central heating radiators.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
30 x 79mm	PA524P	4	5

Zinc Radiator Key

- Zinc alloy radiator key.
- For bleeding and draining of most radiators.
- Durable and long lasting.
- Square opening for use on domestic radiator bleed screws.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
T' Bar Style	PA18L	50	PA18P	2	5

T' Bar Style Brass Radiator Keys

- Lightweight.
- For bleeding and draining of most radiators.
- Durable and long lasting.
- Square opening for use on domestic radiator bleed screws.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
T' Bar Style	PA19L	25	PA19P	1	5

Clock Style Brass Radiator Keys

- Lightweight.
- For bleeding and draining of most radiators.
- Durable and long lasting.
- Square opening for use on domestic radiator bleed screw.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Clock Style	PA20L	25	PA20P	1	5

Rear Access Radiator Key

- Features a sliding tommy bar allowing to reach inaccessible areas or where radiators are positioned close to the wall.



NEW NSL

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
	PA21L	25	PA21P	1	5

Metal Service Key

- For radiator drain cocks, radiator air vents, gas/electric boxes and water meter service boxes.
- Cross key style.



NSP

Description	Code	Pack Qty	Outer Qty
72 x 72mm	PA38P	1	5

Waste Fittings

Plastic Compression Straight Coupling

- Made in white polypropylene.
- Quick and easy to install.
- Incorporates a compression outlet that accepts plastic and copper pipes.
- Manufactured to BS 5254, BS EN 1451-1:2000.



NSP

Description	Code	Pack Qty	Outer Qty
32mm	PA248P	1	4
40mm	PA249P	1	4

Plastic Compression 90° Knuckle Bend

- 90° knuckle bend.
- Quick and easy to install.
- Made from white polypropylene.
- Incorporates a compression outlet.
- Accepts plastic and copper pipes.
- No solvent welding required.
- Manufactured to BS 5254, BS EN 1451-1:2000.



NSP

Description	Code	Pack Qty	Outer Qty
32mm	PA291P	1	4
40mm	PA292P	1	4

Plastic Compression Swivel Elbow

- 90° conversion bend.
- Quick and easy to install.
- Made from white polypropylene.
- Incorporates a compression outlet.
- Accepts plastic and copper pipes.
- No solvent welding required.
- Manufactured to BS 5254, BS EN 1451-1:2001.



NSP

Description	Code	Pack Qty	Outer Qty
32mm	PA325P	1	4
40mm	PA326P	1	4

Plastic Compression Swept Tee

- Quick and easy to install.
- Made from white polypropylene.
- Incorporates a compression outlet.
- Accepts plastic and copper pipes.
- No solvent welding required.
- Manufactured to BS 5254, BS EN 1451-1:2000.



NSP

Description	Code	Pack Qty	Outer Qty
32mm	PA295P	1	4
40mm	PA296P	1	4

Plastic Compression 45° Swept Bend

- 45° swept bend.
- Quick and easy to install.
- Made from white polypropylene.
- Incorporates a compression outlet.
- Accepts plastic and copper pipes.
- No solvent welding required.
- Manufactured to BS 5254, BS EN 1451-1:2000.
- Incorporates a compression outlet that accepts plastic and copper pipes.



NSP

Description	Code	Pack Qty	Outer Qty
32mm	PA293P	1	4
40mm	PA294P	1	4

Plastic Compression Reducer

- Quick and easy to install.
- Made from white polypropylene.
- No solvent welding required.
- Suitable for domestic and professional use.
- Compression outlet accepts pipes to BS1455 and BS1451.



NSP

Description	Code	Pack Qty	Outer Qty
40 x 32mm	PA57P	1	4

view our full product portfolio online
www.centurioneurope.co.uk

Push Fit Socket Plug

- Pre-packed.
- Quick and easy to install.
- Made from white polypropylene.
- For capping off and terminating waste pipes.



Description	Code	Pack Qty	Outer Qty
32mm	PA298P	1	5
40mm	PA299P	1	5

Pipe Clips

- Securely holds pipework and tubing neatly in place.
- Manufactured to BS EN1455-1:2000, BS5255.
- ABS solvent weld system.



Description	Code	Pack Qty	Outer Qty
32mm Plastic	PA246P	4	5
40mm Plastic	PA247P	4	5

Push Fit Straight Connector

- Push fit connections.
- No solvent welding or tightening required.
- Universal compression fittings.
- Suit BS1451 and BS1455.
- Suitable for domestic and professional use.



Description	Code	Pack Qty	Outer Qty
32mm	PA387P	1	5
40mm	PA327P	1	5

Push Fit 45° Swept Bend

- Push fit connections.
- No solvent welding or tightening required.
- Universal compression fittings.
- Suit BS1451 and BS1455.
- Suitable for domestic and professional use.



Description	Code	Pack Qty	Outer Qty
32mm	PA388P	1	4
40mm	PA330P	1	4

Push Fit 90° Swept Bend

- Push fit connections quick and easy to fit.
- Requires no solvent welding or tightening.
- Universal compression fittings.
- Suit BS1451 and BS1455.
- Suitable for domestic and professional use.



Description	Code	Pack Qty	Outer Qty
32mm	PA389P	1	4
40mm	PA331P	1	4

Push Fit Knuckle Bend

- Push fit connections quick and easy to fit.
- Requires no solvent welding or tightening.
- Universal compression fittings.
- Suit BS1451 and BS1455.
- Suitable for domestic and professional use.



Description	Code	Pack Qty	Outer Qty
32mm	PA390P	1	4
40mm	PA328P	1	4

Push Fit Swept Tee

- Push fit connections quick and easy to fit.
- Requires no solvent welding or tightening.
- Universal compression fittings.
- Suit BS1451 and BS1455.
- Suitable for domestic and professional use.



Description	Code	Pack Qty	Outer Qty
40mm	PA329P	1	4

Push Fit Reducer

- Connects 40mm waste systems to 32mm waste systems.
- Push fit connections.
- No solvent welding or tightening required.
- BS EN1451-1:2000, BS 5254, BS EN 12380.



Description	Code	Pack Qty	Outer Qty
40 x 32mm	PA59P	1	5

Swivel 'P' Trap

- Compression fit connections are quick and easy to fit.
- BS EN 274 polypropylene.



Description	Code	Pack Qty	Outer Qty
32 x 76mm Seal	PA234P	1	3
40 x 76mm Seal	PA235P	1	3

Swivel 'S' Trap

- BS EN 274 polypropylene.
- Compression for copper or plastic.



Description	Code	Pack Qty	Outer Qty
32 x 76mm Seal	PA236P	1	3
40 x 76mm Seal	PA237P	1	3

Place your order today



sales@centurioneurope.co.uk



01302 788 700

Bottle Trap

- Quick and easy to fit.
- Requires no welding.
- Compression outlets accepts plastic and copper waster pipes.



Description	Code	Pack Qty	Outer Qty
32 x 76mm Seal	PA332P	1	3
40 x 76mm Seal	PA333P	1	3

Shower Trap

- 70mm flange and removable grid.
- Chrome waste 50mm seal, 40mm outlet.
- Physical height only 90mm.
- 50mm (2") water seal trap.
- Flow rate of 36 l/min.
- Capable of sealing 40mm outlet.



Description	Code	Pack Qty	Outer Qty
50 x 40mm Seal	PA412P	1	3

Shallow Bath Traps

- One piece trap for baths, showers and bidets.
- No cleaning eye 19mm seal 40mm.
- Requires no solvent welding.
- Suitable for domestic and professional use.
- Universal compression fittings suit BS1451 and BS1455.



Description	Code	Pack Qty	Outer Qty
40 x 19mm	PA414P	1	3

Multi Fit Tee with Hose Connector

- Fits plastic and copper waste pipes.
- Features additional hose connector to be used with appliance traps.
- Multi fit Tee.
- With Hose connector.



Description	Code	Pack Qty	Outer Qty
	PA442P	1	3

Flexible Waste Pipe

- Universal flexi waste for 32/40mm.
- 32mm = 330mm up to 640mm
- 40mm = 250mm up to 560mm



Description	Code	Pack Qty	Outer Qty
32/40mm	PA443P	1	3

View our full product portfolio online
www.centurioneurope.co.uk

Waste Trap Hose Connector

- Waste trap appliance drain hose pipe straight connector with threaded nut.



Description	Code	Pack Qty	Outer Qty
Straight	PA441P	1	3



Washing Machine Trap

- Polypropylene.
- Multi fit compression outlet suits all plastic and copper waste pipes.
- Standard pipe and two clips.
- BS EN 274.



Description	Code	Boxed Qty
40 x 76mm with Upstand	PA255L	1

Single Appliance Trap

- Complete with integrated non-return valve.
- Protects appliances.
- 76mm seal depth.
- Compression fitting for copper/plastic waste pipes.
- BS EN 274 polypropylene.



Description	Code	Boxed Qty
40 x 76mm	PA358L	1

Inlet Trap Washers


- Connects two water hoses to the machine.
- Controls the flow of both hot and cold water.



Description	Code	Pack Qty	Outer Qty
32mm	PA458P	2	5
40mm	PA459P	2	5

Appliance Stop Valves

- Chrome Plated.
- Supplied with red and blue valve arm.
- Valves suitable for hot and cold use.
- BS1254.



Description	Code	Pack Qty	Outer Qty
Straight 15mm x 3/4" BSP	PA106P	1	5
Angle 15mm x 3/4" BSP	PA107P	1	5
Tee 15mm x 3/4" BSP	PA108P	1	5

Washing Machine Inlet Hose

- Universal cold fill inlet hose 3/4" BSP.
- For washing machines and dishwashers.
- Complete with two rubber washers.



Description	Code	Pack Qty	Outer Qty
1.5m Blue	PA110P	1	3
1.5m Red	PA111P	1	3
2.5m Blue	PA241P	1	3
2.5m Red	PA242P	1	3

Washing Machine Outlet Hose

- Grey.
- 3/4" BSP.
- Non Kink.
- With rubber washers.



Description	Code	Pack Qty	Outer Qty
1.5m Non Kink	PA243P	1	3
2.5m Non Kink	PA244P	1	3

Washing Machine Hose Connector

- Used for joining washing machine hoses together for extra length.



Description	Code	Pack Qty	Outer Qty
3/4" x 3/4" BSP Brass	PA16P	1	5

Washing Machine Inlet Hose Connector

- For joining two inlet hoses together.
- Fitting with 2 x 3/4" male threads.
- Ideal if appliances need to be moved.



Description	Code	Pack Qty	Outer Qty
3/4" Plastic	PA428P	1	5

Washing Machine Outlet Hose Connector

- Push fit for outlet hose.
- Used to join two lengths of washing machine outlet hoses.
- Secure with hose clips.



Description	Code	Pack Qty	Outer Qty
17mm M x M Plastic	PA429P	1	5

Washing Machine Inlet Y Piece

- 1 x female thread converting to/from.
- 2 x male threads.
- Useful if you only have a cold supply and need both hot and cold water supplies.
- Can be used for dishwashers and washing machines



Description	Code	Pack Qty	Outer Qty
3/4"	PA427P	1	5

Washing Machine Blanking Cap

- Used for blanking off hot or cold fill ports on washing machines.



Description	Code	Pack Qty	Outer Qty
3/4" Brass	PA109P	1	5

Self Cutting Appliance Stop Valves

- Easy connection to 3/4" appliance hose.
- Operated by chrome screw down handle.



Description	Code	Pack Qty	Outer Qty
15mm x 3/4" CP	PA05P	1	3

Self Cutting Waste Plumbing Kit

- Easy connection to plastic waste pipe.
- This waste kit is a self-cutting clamp tool for 32mm and 40mm pipe work.



Description

Description	Code	Pack Qty	Outer Qty
	PA426P	1	1

Universal Tumble Dryer Kit

- Contains aluminium ducting, wall plate, self adhesive foam disk, tumble dryer mounting spigot, exterior gravity grille, connector, flexible ducting and fixing screws and plugs.



Description

Description	Code	Boxed Qty
White	PA371L	1

Gravity Flap Wall Vent

- Wall outlet with gravity flaps.
- Round fitting.



Description	Code	Pack Qty	Outer Qty
100mm (4") White	PA262P	1	5
100mm (4") Terracotta	PA263P	1	5

Place your order today



sales@centurioneurope.co.uk



01302 788 700

Cowl Wall Outlet

- An external ducting vent with flaps that close when not in use.
- With Damper - 100mm Round Spigot.



Description	Code	Pack Qty	Outer Qty
100mm (4") White	PA360P	1	5
100mm (4") Brown	PA361P	1	5

Louvre Grille

- For various applications i.e; venting bathrooms, kitchens, cupboards, soffits, caravans, cabinets etc.
- Louvred grille with flyscreen.
- Round fitting.



Description	Code	Pack Qty	Outer Qty
100mm (4") White	PA264P	1	5
100mm (4") Terracotta	PA265P	1	5

Flat Channel Ducting

- Ideal for use with ducted systems.
- Made from 100% recycled PVC plastic.
- Quick and easy to fit when connecting to a fan or accessories.
- Requires sealant to offer air tight seal.



Description	Code	Boxed Qty
100mm x 54mm x 1m	PA372L	5

Flat Channel Clips

- Used in conjunction with flat channel ducting.



Description	Code	Pack Qty	Outer Qty
100mm	PA362P	1	5

Flat Channel Connector

- Use to connect two pieces of rectangular pipe together in a straight run.



Description	Code	Pack Qty	Outer Qty
100mm	PA363P	1	5

90° Elbow

- To connect flat channel ducting.



Description	Code	Pack Qty	Outer Qty
100mm	PA364P	1	5

Flat Channel 90° Bend

- 90° rectangular horizontal bend with female fittings.



Description	Code	Pack Qty	Outer Qty
100mm	PA365P	1	5

Flat Channel 90° Vertical Bend

- 90° Rectangular vertical bend with female fittings.
- For joining flat channel ducting.



Description	Code	Pack Qty	Outer Qty
100mm	PA366P	1	5

Flat Channel to 100mm Round

- Round to rectangular adaptor.
- For connecting flat channel ducting to round hose.



Description	Code	Pack Qty	Outer Qty
100mm Female	PA367P	1	5
100mm Male	PA368P	1	5

Rigid Pipe

- PVC.
- Suitable for commercial and domestic use.



Description	Code	Boxed Qty
100 x 350mm	PA369L	5

Flexible Rectangular Ducting Hose

- Provides a solution to awkward situations where a rigid system cannot be installed.
- Suitable for use in conjunction with tumble dryers, bathroom ventilation, kitchen ventilation, domestic fans.



Description	Code	Pack Qty	Outer Qty
100mm x 1m	PA370P	1	5

Tumble Dryer Hose

- 100mm (4") Round.
- White polyester coated aluminium hose.
- Max/min temp 70°C/ -15°C.



Description	Code	Pack Qty	Outer Qty
1m	PA266P	1	5
3m	PA281P	1	5

Threaded Connector

- Attaches tumble dryer hose to the vent duct on the back of the tumble dryer.
- Use in conjunction with tumble dryer hose.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
100mm (4") Outer Dia.	PA269L	5	PA269P	1	5

Steel Hose Clip

- Zinc Plated.
- Steel hose clip designed for many and various industrial and domestic applications.
- Max/min temp 120°C / -20°C.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
100mm (4") Dia. ZP	PA270L	5	PA270P	1	5



Brass Float Valve

- A float valve maintains the level in the cold water header tank which regulates the pressure of the hot water system.
- Part 1 high pressure.
- Part 2 high pressure.
- Complies with BS1212.



Description	Code	Pack Qty	Outer Qty
1/2" Part 1 Brass	PA22P	1	3
1/2" Part 2 Brass	PA25P	1	3

Adjustable Plastic Float Valve

- Side entry valve.
- Cistern fitting.
- Traditional filling valve.
- Adjustable water level.
- Adjustable length float arm for a wide range of cisterns.
- Part 3 complies with BS1212.



Description	Code	Pack Qty	Outer Qty
1/2" Side Entry	PA24P	1	3
1/2" Bottom Entry	PA357P	1	3

Plastic Ball Valve Floats

- Cylindrical.
- Plastic.
- BS 1212.



Description	Code	Boxed Qty
115mm (4 1/2") Cylindrical	PA27L	5
115mm (4 1/2") Circular	PA28L	5

Kwik Fit Straight Pan Connector

- Polypropylene.
- Easy to fit.
- WC pan connector.
- Push fit ring seal system.
- BS EN1451-1:2000, BS5254, BS EN 12380.



Description	Code	Boxed Qty
	PA238L	1

Kwik Fit Offset 104° Pan Connector

- Polypropylene.
- Easy to fit.
- WC pan connector.
- Push fit ring seal system.
- BS EN1451-1:2000, BS5254, BS EN 12380.



Description	Code	Boxed Qty
	PA239L	1

Kwik Fit Bend 90° Extension Pan Connector

- Polypropylene.
- WC pan connector.
- Easy to fit.
- Push fit ring seal system.
- BS EN1451-1:2000, BS5254, BS EN 12380.



Description	Code	Boxed Qty
	PA240L	1

Kwik Fit Extension Pan Connector

- Polypropylene.
- WC pan connector.
- Easy to fit.
- Push fit ring seal system.
- BS EN1451-1:2000, BS5254, BS EN 12380.



Description	Code	Boxed Qty
	PA344L	1

Kwik Fit Offset Pan Connector

- Polypropylene.
- WC pan connector.
- Easy to fit.
- Push fit ring seal system.
- BS EN1451-1:2000, BS5254, BS EN 12380.



Description	Code	Boxed Qty
	PA345L	1

9" Dual Flush Syphon


- Variable flushing volumes and internal overflow.
- Compatible with most lever operated cisterns.
- WRAS Approved.



Description	Code	Boxed Qty
Thread size 1½"	PA147L	1

Flushpipe Cone Connector

- Internal flush pipe.
- Fits most low level W.C.
- Provides a water tight seal between toilet and flush pipe.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
Plastic Internal	PA532P	1	5
Rubber Internal	PA533P	1	5

90° Flush Pipe

- PVC 90° flush pipe, used to connect with an exposed cistern which has a shifted toilet pan.
- Measurement refers to one side.



Description	Code	Boxed Qty
450mm (18") Plastic	PA133L	1

C' Link

- Connects the toilet flush handle and syphon together.



NSP

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Large Stainless Steel	PA58L	20	PA58P	1	5

Cistern Handles

- For use with WC.
- Will fit most UK cisterns.
- Supplied with plastic lever arm and screw.



NSP

Description	Code	Pack Qty	Outer Qty
White Plastic	PA418P	1	5
Chrome Plated Steel	PA60P	1	5

Adjustable WC Lever Arm

- Connects the toilet flush handle to the 'C' link on the syphon.



NSP

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Complete With Screw	PA56L	20	PA56P	1	5

Cistern Pull

- Galvanised chain with wooden handle.



NSP

Description	Code	Pack Qty	Outer Qty
450mm	PA124P	1	5

Toilet Cistern Coupling Kit

- Set comprises:
- 1 x steel zinc plated plate
 - 2 x carriage bolts M8 x 60
 - 2 x steel washers M8 x 20
 - 2 x rubber washers M8 x 20
 - 2 x wing nuts M8
 - 1 x black doughnut washer.



NSP

Description	Code	Pack Qty	Outer Qty
	PA105P	1	3

Toilet Pan Fixing Kit

- Medium duty decorative fixing.
- Finish: white cap, zinc plated hex screw.
- Easy to fit for push through fixing.
- Zinc screw has slotted hex head.
- Can be fitted using pozidrive and slotted screw drivers.
- Designed specifically for use when fitting WC's.
- Decorative cap leaves an attractive easy to clean finish.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
M6 x 80mm	PA525P	1	5

Sanitary Fixing Kit

- Medium duty decorative fixing.
- Finish: white cap, zinc plated screw stud.
- Easy to fit for push through fixing.
- Zinc screw has a hexagon nut and part flat shank allowing straight forward installation.
- Designed specifically for use when fitting sinks and basins.
- Decorative cap leaves an attractive easy to clean finish.
- Edge of plug cleanly closes off drill hole in porcelain enabling the cap to snap fit securely.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
M8 x 100mm	PA526P	1	5

Syphon Bolt Kit

- Connects toilet cistern to pan.
- Set comprises:
 - 2 x bolts
 - 2 x conical washers
 - 2 x washers
 - 2 x wing nuts



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
Long Set	PA527P	1	5

Cistern Washers

- Replacement cistern washer.

NSL **NSP**



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
1/2" Black ubber	PA162L	100	PA162P	4	5

Aquasave Washers

- Black rubber aquasave washers suitable for use with plastic ball valve arm.
- Suitable for use with plastic ball valve arm.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
1 1/4" Black Rubber	PA160L	50	PA160P	1	5

Brass Cotter Pin

- Suitable for ball valve arm linkage.

NSP



Description	Code	Pack Qty	Outer Qty
1 1/2"	PA164P	2	5

Ball Valve Seats

- The ball valve seat is responsible for sealing the fluid inside.
- With Ball Valve Washer



NSP

Description	Code	Pack Qty	Outer Qty
	PA168P	2	5

Ball Valve Overhaul Kit

- Set comprises:
 - 1 x cistern washer
 - 1 x cotter pin
 - 1 x ball valve washer
 - 1 x ball valve seat.



NSP

Description	Code	Pack Qty	Outer Qty
	PA166P	4	5

Ball Valve Seat Washer

NSP



Description	Code	Pack Qty	Outer Qty
1/2"	PA08P	2	5

Toilet Seat Hinges

- Set comprises:
 - 1 pair plastic hinges
 - 1 x WC rod
 - 2 x nylon screws
 - 2 x rubber pads
- Fitting instructions.



Description	Code	Pack Qty	Outer Qty
Black	PA185P	1	5
White	PA186P	1	5

Bar Type Toilet Seat Hinges

- Set comprises:
 - 1 pair hinges
 - 1 x WC rod
 - 2 x nylon screws
 - 2 x rubber pads
- Fitting instructions.



Description	Code	Pack Qty	Outer Qty
Polished Chrome	PA51P	1	5

Pillar Type Toilet Seat Hinges

- Heavy duty non-loosening toilet seat hinge.
- Fully adjustable to fit all standard pans.
- With non slip metal back nuts.



Description	Code	Pack Qty	Outer Qty
Polished Brass	PA54P	1	5
Polished Chrome	PA55P	1	5



Customer Service Support



Marketing Support



24hr Online Ordering



FREE delivery on web orders over £75

Place your order today



sales@centurioneurope.co.uk



01302 788 700



Toilet and Bathroom Accessories

Plastic Toilet Seat

- With white plastic hinges.

Description	Code	Boxed Qty
White Plastic	PA112L	1



MDF Toilet Seats

- With chrome hinges.
- Size: 45.72 x 36.83 x 5.5cm (18" x 14½" x 2½").

Description	Code	Boxed Qty
White Moulded Wood	PA113L	1
Pine	PA114L	1
Antique Pine	PA115L	1
Mahogany	PA116L	1



Toilet Roll Holder

- Made from aluminium.
- Supplied with plastic cone.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Satin Gold Finish	MI15L	5	MI15P	1	5
Satin Silver Finish	MI14L	5	MI14P	1	5

Diecast Toilet Roll Holder

- Complete with plastic cone.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Die Cast Chrome Plated	MI06L	1	MI06P	1	5

Spare Cones

- A replacement toilet roll holder cone.
- Made from plastic.
- Fits 95 - 135mm.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Black	MI26L	10	MI26P	1	5
White	MI32L	10	MI32P	1	5



Shower Accessories and Fittings

Flexible Shower Hose

- Chrome plated on brass with cone fittings.
- With cone fitting.



Description	Code	Pack Qty	Outer Qty
1.5m x ½" BSP Fitting	PA74P	1	3

Shower Curtain

- White.
- Water resistant fabric.
- Machine Washable.
- Cling resistant weighted hem.
- 12 x corrosion resistant heavy duty eyelets.



Description	Code	Pack Qty	Outer Qty
1.8 x 1.8m	PA408P	1	5

Telescope Rail

- Quick and easy to install.
- Self supporting and no drilling required.
- Expands from 140cm to 260cm (4'6" to 8'6").



Description	Code	Pack Qty	Outer Qty
Extends to 2.6m	PA410P	1	5

Modular Shower Curtain Rail

- Enables 4 types of rail configuration.
- Quick and easy to install.
- Can be easily cut to length.
- Designed for corner applications.



Description	Code	Pack Qty	Outer Qty
Makes 4 Configurations	PA411P	1	5

Plastic Shower Curtain Rings

- Shower rings to keep shower curtains in position.



Description	Code	Pack Qty	Outer Qty
40mm White	CW66P	12	5

Curtain Rings

- Shower rings to keep shower curtains in position.



NSP

Description	Code	Pack Qty	Outer Qty
Clear	PA409P	12	5

Complete Riser Rail

- Complete riser rail 610mm overall length by 25mm Dia and single locking height adjuster.
- White/Chrome.



Description	Code	Pack Qty	Outer Qty
600 x 25mm	PA338P	1	5

Universal Riser Slider Rail

- Adjustable slider for rail and shower head.



NEW NSP

Description	Code	Pack Qty	Outer Qty
White 18-25mm	PA494P	1	3
Chrome 18-25mm	PA495P	1	3

Single Spray Shower Heads

- Simple design.
- Entry level shower head with single mode rub clean faceplate.
- Contains the Eco-Flow facility to enable water saving.



NSP

Description	Code	Pack Qty	Outer Qty
White 203 x 73mm	PA334P	1	3
Chrome 203 x 73mm	PA335P	1	3

3 Mode Spray Shower Heads

- Popular shower head with 3 mode rub clean faceplate.
- Eco-Flow facility to enable water saving.



NSP

Description	Code	Pack Qty	Outer Qty
White 223 x 83mm	PA336P	1	3
Chrome 223 x 83mm	PA337P	1	3

Sink/Bath Push On Handset Hose

- Push on handset hose.
- Fits most standard basin and bath taps.



NSP

Description	Code	Pack Qty	Outer Qty
White	PA343P	1	3



Taps and Fittings

Standard Tap Adaptor

- Fits basin or bath 1/2 x 3/4.
- Fits most BS5412/BS1010 taps.
- Standard head chrome



Description	Code	Pack Qty	Outer Qty
Chrome	PA393P	1	1

Standard Chrome Tap Adaptor

- Universal tap conversion kit.
- Fits most BS1010 & BS5412 taps.



Description	Code	Pack Qty	Outer Qty
Chrome	PA433P	1	1

Standard Replacement Tap Cartridge

- Replacement valve for 1/2" tap.

NSP

Description	Code	Pack Qty	Outer Qty
1/2"	PA434P	1	3



Replacement Tap Cartridge with Ceramic Disc

- Replacement tap cartridge to repair bathroom and kitchen taps.
- Hot/cold replacement valve.

NSP

Description	Code	Pack Qty	Outer Qty
Hot	PA435P	1	3
Cold	PA436P	1	3



Replacement Ceramic Short Cartridge

- Replacement tap cartridge to repair bathroom and kitchen taps.
- Hot/cold replacement valve.
- With ceramic disc.

NEW NSP

Description	Code	Pack Qty	Outer Qty
3/8 - 1/2"	PA506P	1	3



Combined Waste and Overflow

- Chrome plated on plastic.



Description	Code	Pack Qty	Outer Qty
1½" BSP Sink	PA83P	1	3
1½" BSP Bath	PA85P	1	3



Basin Waste Easy Seal Washer Kit

- Includes sealing cone, washer and retaining ring.
- No need for tape or sealant.



Description	Code	Pack Qty	Outer Qty
1¼" 3pc Kit	PA528P	1	5



Pop Up Basin Waste Plug

- Chrome plated brass top.
- No need for a chain.
- Plug pops up and down on every touch.



Description	Code	Pack Qty	Outer Qty
1½"	PA529P	1	5



Chromed Plastic Tap Hole Stopper

- Ideal for blocking up unused tap holes.



Description	Code	Pack Qty	Outer Qty
Chromed ABS	PA531P	1	5



Tap Washers

- Ideal for replacing worn washers for many plumbing applications.
- Used to create a water tight seal when the tap is closed to stop water flow.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
3/8"	PA169L	100	PA169P	4	5
½"	PA170L	100	PA170P	4	5
¾"	PA171L	100	PA171P	4	5



Assorted Tap Washers

- Ideal for replacing worn washers for many plumbing applications.
- Used to create a water tight seal when the tap is closed to stop water flow.



Description	Code	Pack Qty	Outer Qty
Assorted	PA29P	4	5



Delta Tap Washers

- All plastic construction.
- Ideal for replacing worn washers for many plumbing applications.
- Used to create a water tight seal when the tap is closed to stop water flow.



Description	Code	Pack Qty	Outer Qty
½"	PA283P	4	5
¾"	PA284P	4	5



Fibre Washers

- Ideal for replacing worn washers for many plumbing applications.
- Used to create a water tight seal when the tap is closed to stop water flow.



Description	Code	Pack Qty	Outer Qty
½"	PA140P	4	5
¾"	PA141P	4	5



Assorted Fibre Washers

- Prevents a leak.
- Absorbs liquid when in contact.
- Swells slightly to fill in the gap or joint.



Description	Code	Pack Qty	Outer Qty
Assorted	PA33P	4	5



Flexible Connector Washer

- Connects up to hot and cold water feeds on bathroom or kitchen taps.



Description	Code	Pack Qty	Outer Qty
½"	PA496P	4	5
¾"	PA497P	4	5



Rubber Hose Washers

- Ideal for replacing worn washers.
- Designed to fit hot and cold feeds for showers and washing machine hoses.
- Able to work under temperatures and pressures from the supply pipe giving a water tight seal.



Description	Code	Pack Qty	Outer Qty
½" Shower	PA174P	4	5
¾" Washing Machine	PA175P	4	5



view our full product portfolio online
www.centurioneurope.co.uk

All Stop Tap Washers

- All plastic construction.
- Ideal for replacing worn washers.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
¾"	PA49P	1	5

Top Hat Washers

- Used to isolate bolts from metals to prevent corrosion.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
½"-¾" Universal	PA465P	2	5

Pillar Tap Washers

- Provides a watertight seal around pipes, taps and other bathroom or toilet products.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
½"	PA500P	4	5
¾"	PA501P	4	5

Pillar Tap Tank Washer

- Provides a watertight seal around pipes, taps and other bathroom or toilet products.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
1"	PA502P	2	5

O Ring Assortment A

- Prevents leakage and maintains pressure.
- Ideal for maintenance, engineers for a quick and reliable seal.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
	PA431P	5	5

O Ring Assortment B

- Prevents leakage and maintains pressure.
- Ideal for maintenance, engineers for a quick and reliable seal.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
	PA432P	5	5

O Ring Assorted Basin Bath Plugs

- Prevents leakage and maintains pressure.
- Ideal for maintenance, engineers for a quick and reliable seal.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
	PA462P	2	5

Sink Strainer

- Used to prevent the passage of solid debris or large particle of food, hair etc from going down into the water drain system.



NSP

Description	Code	Pack Qty	Outer Qty
White Plastic			
1½"	PA271P	1	5
1¾"	PA288P	1	5
Chrome Plated Plastic			
1½"	PA256P	1	5
1¾"	PA287P	1	5

Shower Waste Strainer

- Used to prevent the passage of large debris and hair going down into the water drain system.



NSP

Description	Code	Pack Qty	Outer Qty
80mm White Plastic	PA87P	1	5
80mm Chromed Plastic	PA88P	1	5

Plastic Sink Plugs

- Plastic sink and bath plug.
- Use in conjunction with sink, basin or bath chain.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Black					
1½"	PA64L	50	PA64P	1	5
1¾"	PA65L	50	PA65P	1	5
White					
1½"	PA68L	50	PA68P	1	5
1¾"	PA69L	50	PA69P	1	5



Place your order today



sales@centurioneurope.co.uk



01302 788 700

Brass Sink Plugs

- Use in conjunction with sink, basin or bath chain.
- Triangle supplied, but not assembled to plug.



NSP

Description	Code	Pack Qty	Outer Qty
Polished Brass			
1½"	PA15P	1	5
1¾"	PA17P	1	5
Chrome Plated			
1½"	PA09P	1	5
1¾"	PA11P	1	5

Chrome Plated Basin Plug and Chain

- Use with basins that have an overflow.



NEW NSP

Description	Code	Pack Qty	Outer Qty
1½"	PA30P	1	5
1¾"	PA23P	1	5

Sink / Basin Ball Chains

- An ideal replacement for broken bath plug chains.



NSP

Description	Code	Pack Qty	Outer Qty
Polished Brass			
300mm Chain & Hooks	PA353P	1	5
450mm Chain & Hooks	PA354P	1	5
300mm Chain & Stay	PA355P	1	5
Chrome Plated			
300mm Chain & Hooks	PA350P	1	5
450mm Chain & Hooks	PA351P	1	5
300mm Chain & Stay	PA352P	1	5

Universal Sink Plug

- Covers 37mm - 50mm (1½" - 2") plug holes.



NSP

Description	Code	Pack Qty	Outer Qty
White PVC	PA257P	1	5

For more information about how we can help your business contact us today!



01302 788700



01302 390004



Email: sales@centurioneurope.co.uk

Gas Cooker Fittings



Gas Cooker Hose

- Conforms to BS669.
- Not suitable for use with LPG.
- Bayonet Type



Description	Code	Pack Qty	Outer Qty
1.2m (4")	PA125P	1	3

Bayonet Socket - Angled

- Suitable for natural gas or LPG.
- Automatic gas cut off when bayonet socket is removed.
- Female Bayonet.



Description	Code	Pack Qty	Outer Qty
½" BSP	PA127P	1	3

Micropoint Angled Cooker Hose

- Manufactured to BS669-1.
- BSP taper male.
- British Gas Approved.



Description	Code	Pack Qty	Outer Qty
1.1m NG (3'6")	PA117P	1	3

Gas Cooker Stability Bracket

- 138mm depth.
- Two piece bracket.
- Complete with fittings and instructions.
- In accordance with Gas Safety (Installations and Use) Regulations 1998.



Description	Code	Pack Qty	Outer Qty
2 x Steel Yellow Zinc Plated Brackets	PA41P	1	5

Gas Cooker Stability Chain

- Steel zinc plated chain with fittings.
- In accordance with Gas Safety (Installations and Use) Regulations 1998.



Description	Code	Pack Qty	Outer Qty
	PA43P	1	5

Drain Grids, Vents and Outlets

Hit and Miss Vents

- Connect to extractor fans and other systems.
- Allows air to enter/exit a room.
- Internal or external use.



Description	Code	Pack Qty	Outer Qty
White Plastic with Flyscreen			
229 x 76mm (9" x 3")	VE01P	1	5
229 x 152mm (9" x 6")	VE02P	1	5
229 x 229mm (9" x 9")	VE06P	1	5
Gold Aluminium			
229 x 76mm (9" x 3")	VE12P	1	5
229 x 152mm (9" x 6")	VE13P	1	5
Aluminium			
229 x 76mm (9" x 3")	VE08P	1	5
229 x 152mm (9" x 6")	VE09P	1	5
229 x 229mm (9" x 9")	VE40P	1	5



Louvred Vents

- Connect to extractor fans and other systems.
- Allows air to enter/exit a room.
- Suitable for internal applications.



Description	Code	Pack Qty	Outer Qty
White Plastic with Flyscreen			
229 x 76mm (9" x 3")	VE04P	1	5
229 x 152mm (9" x 6")	VE05P	1	5
229 x 229mm (9" x 9")	VE07P	1	5
Gold Effect Aluminium			
229 x 76mm (9" x 3")	VE15P	1	5
229 x 152mm (9" x 6")	VE16P	1	5
229 x 229mm (9" x 9")	VE27P	1	5
Aluminium (mill finish - ideal for painting)			
229 x 76mm (9" x 3")	VE10P	1	5
229 x 152mm (9" x 6")	VE11P	1	5
229 x 229mm (9" x 9")	VE33P	1	5
Satin Aluminium			
229 x 76mm (9" x 3")	VE34P	1	5
229 x 152mm (9" x 6")	VE35P	1	5
229 x 229mm (9" x 9")	VE36P	1	5



Grid Cover

- Prevents leaf and debris blockages by covering outside drains.



Description	Code	Pack Qty	Outer Qty
	20340	1	5



Gutter Guard

- Prevents leaf and debris blockages by covering outside drains.



Description	Code	Boxed Qty
6m	GA307L	1

Square Gully Grid

- Black polypropylene design.
- Allows section to be neatly cut out to allow for downpipe.



Description	Code	Pack Qty	Outer Qty
150 x 150mm (6" x 6")	PA203P	1	5

Plumbing Accessories

Tin Lead Solder Wire

- Not for use on drinking water pipes.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
500g Spool	PA31L	1			
300mm (12") Strip			PA32P	1	5

P.T.F.E Tape

- All purpose P.T.F.E thread sealing tape.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
12mm (1/2") x 12m	TA48L	10	TA48P	1	5

Gas PTFE Tape

- For BS21 threads up to 2".
- Air and watertight seal.
- Seals pipes, conduits, bolts, valves and threaded gas.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
12mm x 5m	TA49L	10	TA49P	1	5

Telux Flux

- General purpose flux for copper pipe work, brass, mild steel and other metals.
- Not for use on aluminium or stainless steel.



Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
50g Tin	PA40L	10	PA40P	1	5

Jointing Paste

- General purpose jointing compound.



Description	Code	Boxed Qty
200g Tin	PA37L	5

POWERLINES

Electrical

Here at Centurion we recognise that our customers have different needs dependent on their customers and this is the reason we offer a wider range of supplies outside of our traditional Hardware & Ironmongery.

Our Powerlines range of electrical supplies covers essential items such as cables and cable management, lighting, lamps and phone accessories for any home or building.

Powerlines **SMART** range

As more and more products move towards '**SMART**' technology, we have added a selection of smart operated products to our Powerlines range.

Icon **KEY**

NEW

New products within the range

NSL

The product is only supplied in box quantities.

Contents

Fuses, Tapes and Clips	34 - 35
Connectors and Junction Boxes	35 - 36
Electrical Cables	36 - 37
Co-Axial, Scart Leads and Phone Accessories	37 - 39
Light Fixtures and Fittings	39 - 40
Sockets and Leads	40 - 41
Plugs and Adaptors	41 - 42
Switches and Sockets	42 - 43
Mounting Boxes and Accessories	44
Door Chimes	45
Mobile Phone Accessories	45
Smart Products	46
Lighting and Lamp Accessories	46 - 48
Fire, Heat and CO Alarms	48
Batteries and Chargers	49
Torches	50 - 51



The product is only supplied
in outer quantities.



Fuses, Tape & Clips

Fuses

- Domestic mains fuses.
- Ideal for use in plugs.
- Corrosion-resistant.
- Coloured label for easy identification.
- Conforms to BS132/ASTA approved



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
3 Amp	EA11L	50	EA68P	3	5
5 Amp	EA12L	50	EA69P	3	5
13 Amp	EA13L	50	EA70P	3	5
Assorted			EA71P	3	5

Starter Fuses

- Fluorescent starter switch.
- For use in single lamps.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
65W	EA15L	25	EA73P	1	5
FSU 100 - 125W	EA16L	25	EA74P	1	5

Fuse Wire

- Wire: 5, 15 and 30 Amp.
- Length: 5 1750mm, 15 700mm and 30 500mm.
- 240 Volt AC.
- Tinned copper wire.
- Ideal: semi enclosed fuses.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
5, 15 & 30 Amp on Card	EA17L	20	EA72P	1	5

Consumer Fuses

- Ideal for lighting and heating circuits.
- BS1361



NSP

Description	Code	Pack Qty	Outer Qty
5 Amp	EA78P	2	5
15 Amp	EA79P	2	5
20 Amp	EA80P	2	5
30 Amp	EA81P	2	5
45 Amp	EA82P	1	5

PVC Tape

- Electrical insulation tape joins wires and cables.
- -5 to + 70°C temperatures.
- Water resistant.
- Non-corrosive adhesive.



NSP

Description	Code	Pack Qty	Outer Qty
19mm x 4.5m Black	TA105P	1	5

Meter Box Keys

- For UK gas and electric meter boxes.
- Easy grip.
- Key hole to hang on keychain or keys.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Polished Brass	EA08L	20	EA08P	1	5
Zinc	EA03L	20	EA03P	1	5
Plastic	EA87L	20	EA87P	1	5

Cable Clips

- Neatly secures and holds cables in place.
- T+E is twin and earth cable.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
White					
3.5mm	CC01L	100	CC01P	18	5
4mm	CC02L	100	CC02P	18	5
5mm	CC15L	100	CC15P	17	5
6mm	CC03L	100	CC03P	16	5
7mm	CC04L	100	CC04P	14	5
8mm	CC05L	100	CC05P	14	5
White T+E					
1.00/1.5mm	CC07L	100	CC07P	14	5
2.5mm	CC08L	100	CC08P	12	5
Bellwire T+E	CC06L	100	CC06P	14	5
Grey					
1.00/1.5mm	CC10L	100	CC10P	14	5
2.5mm	CC11L	100	CC11P	12	5
6mm	CC12L	100	CC12P	10	5
Brown					
7mm	CC13L	100	CC13P	12	5
Black					
7mm	CC14L	100	CC14P	12	5



Customer Service Support



Marketing Support



24hr Online Ordering



FREE delivery on web orders over £75

Crocodile Clips

- For temporary electronic connections.
- Spring-loaded metal clip.
- Jaw opening of 15mm.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
5 Amp	EA24L	50	EA24P	2	10
25 Amp	EA25L	20	EA25P	1	10

Connectors & Junction Boxes

Terminal Blocks

- Used to secure and or terminate wires.
- Useful for connecting electrical switches and outlets to the mains.
- 6 Way terminal block.
- Tinned brass terminals.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
3 Amp	EA46L	10	EA46P	1	5
5 Amp	EA04L	10	EA04P	1	5
15 Amp	EA05L	10	EA05P	1	5
30 Amp	EA06L	10	EA06P	1	5

Scotchlok Connectors

- Ideal to tap into another wire without interrupting service.
- Insulated with polypropylene and tin plated for excellent conductivity
- Holds 1.1mm to 2.6mm cable.



NSL **NSP**

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
6.0 - 600V	EA38L	100	EA38P	10	5

Insulated Terminal Rings

- Copper conductor.
- Crimp design with internal copper sleeve.
- Ideal for connecting a cable or wire to a stud or post on an electrical component.
- Available in red and blue.



NSP

Description	Code	Pack Qty	Outer Qty
Red			
5mm	EA29P	10	5
6mm	EA30P	10	5
8mm	EA31P	10	5
Blue			
6mm	EA53P	10	5
8mm	EA54P	10	5

Female Insulated Push-On

- Brass conductor.
- Ideal terminal to provide a secure link with electrical components.
- For use with male insulated push ons EA39P and EA57P



NSP

Description	Code	Pack Qty	Outer Qty
Red			
4.8mm	EA34P	10	5
6.3mm	EA35P	10	5
Blue			
6.3mm	EA56P	10	5

Insulated Push-On

- Tin plated.
- Funnelled insulation allows easy wire insertion.
- Quick and easy connection and disconnection.
- Protects against electrical shock.
- Resistant to corrosion.



NSP

Description	Code	Pack Qty	Outer Qty
Female			
Red 6.3mm	EA33P	10	5
Blue 6.3mm	EA55P	10	5
Male			
Red 6.3mm	EA39P	10	5
Blue 6.3mm	EA57P	10	5

Insulated Male Bullets

- Tin plated.
- Used to terminate stranded or solid wires without needing to solder.



NSP

Description	Code	Pack Qty	Outer Qty
Red			
4mm	EA36P	10	5
Blue			
4mm	EA58P	10	5

Female Insulated Sockets

- Suits a male bullet.
- Vibration resistant due to extra copper ring within the socket.



NSP

Description	Code	Pack Qty	Outer Qty
Red			
26mm x 4mm	EA37P	10	5
Blue			
26mm x 4mm	EA59P	10	5

Place your order today



sales@centurioneurope.co.uk



01302 788 700

Terminal Junction Box

- A protective box in which all power supply wires are inter connected.
- Ideal for use in tight spaces.
- Provides access and exit points for cable up to 2.5mm.



NEW NSP			
Description	Code	Pack Qty	Outer Qty
5 Amp 4 Way	EL110P	1	5
20 Amp 4 Way	EL22P	1	5
30 Amp 3 Way	EL23P	1	5

Terminal Flex Connector

- Ideal for expanding appliance without needing to rewire.
- Suitable for indoors.
- Complies with BS5733.



NEW NSP			
Description	Code	Pack Qty	Outer Qty
5 Amp 2 Way	EL24P	1	5

Rubber Flex Connector

- 2/3 Male to Female pin plug and socket with non-reversible connection.
- Includes cord grips.
- Ideal for power tools and lighting.



NEW NSP			
Description	Code	Pack Qty	Outer Qty
Male to Female			
10 Amp 2 Pin	EL142P	1	5
10 Amp 3 Pin	EL28P	1	5

Rubber Flex Connector

- 2/3 Male to Female pin plug and socket with non-reversible connection.
- Includes cord grips.
- Ideal for power tools and lighting.



NEW NSP			
Description	Code	Pack Qty	Outer Qty
Male to Female			
10 Amp 2 Pin	EL142P	1	5
10 Amp 3 Pin	EL28P	1	5

Lever Connector

- For joining solid, stranded or flexible conductors.
- Compact design.



NEW NSP			
Description	Code	Pack Qty	Outer Qty
2-pole 32A 450V	EL174P	1	5
3-pole 32A 450V	EL175P	1	5
5-pole 32A 450V	EL176P	1	5

Push Wire Connector

- Ideal for stripping a minimal amount of insulation from wire.
- Reduces installation time up to 50%.
- Transparent housing provides a visible indication that the conductor is secure



NEW NSP			
Description	Code	Pack Qty	Outer Qty
24A 450V			
2-Pole	EL177P	10	5
3-Pole	EL178P	10	5
4-Pole	EL179P	10	5
5-Pole	EL180P	10	5
8-Pole	EL181P	10	5



Twin and Earth Cable

- Ideal for use in light and domestic wiring.
- Installed in conduit, trunking or ducting and can be clipped.
- Solid copper conductor with PVC insulation.
- 6242Y



Description	Code	Pack Qty	Outer Qty
1mm			
5m	EL157-5P	1	1
10m	EL157-10P	1	1
100m	EL157L	1	1
1.5mm			
5m	EL158-5P	1	1
10m	EL158-10P	1	1
100m	EL158L	1	1
2.5mm			
5m	EL159-5P	1	1
10m	EL159-10P	1	1
100m	EL159L	1	1
6mm			
2m	EL160-2P	1	1
5m	EL160-5P	1	1
100m	EL160L	1	1

Earth Sleeving

- Designed specifically to protect earth wire.
- Constructed from tough but flexible PVC.
- Self extinguishing in 30 seconds.
- Insulation resistance.



Description	Code	Pack Qty	Outer Qty
3mm			
2m	EL163-2P	1	1
10m	EL163-10P	1	1
100m	EL163L	1	1

2 Core Round Flex Cable

- Brown and blue cores.
- Ideal for lamps and small appliances.
- Two cores being live and neutral
- For appliances not requiring an earth.
- 2182Y



Description	Code	Pack Qty	Outer Qty
0.5mm x 5m	EL164-5P	1	1
0.5mm x 10m	EL164-10P	1	1
0.5mm x 100m	EL164L	1	1

3 Core Round Flex Cable

- Brown, blue and green / yellow (earth) cores.
- Suitable for domestic and commercial small or medium equipment.
- Ideal for refrigerators, washing machines and leads.
- 3183Y.



Description	Code	Pack Qty	Outer Qty
1mm			
5m	EL165-5P	1	1
10m	EL165-10P	1	1
100m	EL165L	1	1
1.5mm			
5m	EL166-5P	1	1
10m	EL166-10P	1	1
100m	EL166L	1	1
2.5mm			
5m	EL167-5P	1	1
10m	EL167-10P	1	1
100m	EL167L	1	1

Single Core Coaxial Cable

- PVC cable.
- Aluminium foil shielding.
- Ideal for TV and satellite.



Description	Code	Pack Qty	Outer Qty
White			
10m	EL168-10P	1	1
25m	EL168-25P	1	1
100m	EL168L	1	1
Brown			
10m	EL169-10P	1	1
25m	EL169-25P	1	1
100m	EL169L	1	1
Black - For satellite use			
10m	EL170-10P	1	1
25m	EL170-25P	1	1
100m	EL170L	1	1

2 Core Bell Wire

- White PVC and CCA conductor.
- Used for low voltage appliances.
- Ideal for doorbells and speakers.



Description	Code	Pack Qty	Outer Qty
10m	EL171-10P	1	1
25m	EL171-25P	1	1
100m	EL171L	1	1

Co-Axial, Scart Leads and Phone Accessories

Single Coaxial Socket

- White moulded sleek and slim with squared edges.
- White plastic socket used to connect televisions to the aerial.
- Screws not supplied.



NSP

Description	Code	Pack Qty	Outer Qty
Single	CX08P	1	5

Metal Coaxial Plugs

- High quality connectors offer reliable, long-lasting connections.
- Nickel Plated.
- Used for TV aerial connectors.
- Easy to install.



NSL NSP

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
Male	CX01L	20	CX01P	1	5
Female	CX02L	20	CX02P	1	5
F Plug	CX12L	20	CX12P	1	5
F Coupler	CX13L	20	CX13P	1	5

Metal Coaxial Plug Set

- Nickel Plated.
- Used for TV aerial connectors.
- Male and Female connectors.
- Easy to install.



NSP

Description	Code	Pack Qty	Outer Qty
Male/Female	CX09P	2	5

Cable Connectors

- White PVC.
- Joins two or three cables together.
- Y-Splitter has 1 input and 2 outputs.



NSP

Description	Code	Pack Qty	Outer Qty
Back To Back	CX03P	1	5
Y-Splitter	CX04P	1	5

Coaxial Socket

- White PVC.
- Flat plate wall mounted single coaxial socket, perfect for TV or radio aerial feeds.
- Compact and discreet.



NSP

Description	Code	Pack Qty	Outer Qty
Surface Fix Single	CX05P	1	5

Coaxial Cable

- Male to Male connection.
- Ideal for TV, Sky HD, Satellite and Video.
- 2m Cable.



NSP

Description	Code	Pack Qty	Outer Qty
Cable and Plugs	CX06P	1	5
TV to Video	CX07P	1	5

2 in 1 Pin Scart to Scart Lead

- SCART plug connector.
- Suitable for retro game consoles, DVD players, and certain TV models.
- SCART to SCART lead 21 pin.



NSP

Description	Code	Pack Qty	Outer Qty
1.5m	CX10P	1	5

1.3c HDMI Cables

- HDMI to HDMI connector.
- Used on DVD, Blu-ray, Ultra HD Blu-ray, video game consoles, laptops and streaming media devices.
- Male to Male connection.



NSP

Description	Code	Pack Qty	Outer Qty
2m	EL131P	1	5
4m	EL132P	1	5

USB Lead

- Male USB-A connector to a male USB-A connector.
- Ideal for connection between computer and peripheral device.



NSP

Description	Code	Pack Qty	Outer Qty
3m	BT10P	1	5

Telephone Wall Socket

- Telecomm socket outlet.



NSP

Description	Code	Pack Qty	Outer Qty
Surface Mount			
Secondary Wall Socket	BT03P	1	3
Flush Mount			
Master	BT07P	1	3

Double Telephone Adaptor

- Connects 2 UK telephones into one socket.
- This adaptor converts a single socket into a double socket and can be plugged into any BT line jack.



NSP

Description	Code	Pack Qty	Outer Qty
Adaptor	BT01P	1	5

Modem Adaptor

- Double adaptor.
- Ideal for connecting telephone and modem to be plugged in.
- Adaptor standard BT style and one RJ11 style.



NSP

Description	Code	Pack Qty	Outer Qty
Adaptor	BT06P	1	5

Telephone Extension Lead

- Standard BT-compatible.
- Ideal for relocating phone.
- For use with telephone, fax, modems and answer machines.
- White cable.



NSP

Description	Code	Pack Qty	Outer Qty
5m	BT02P	1	5
10m	BT04P	1	5

Place your order today



sales@centurioneurope.co.uk



01302 788 700

Broadband Cable

- Connects telephone to internet.
- White cable.
- High speed connection.
- RJ11 to RJ11



NSP

Description	Code	Pack Qty	Outer Qty
5m	BT09P	1	5

Lighting Fixtures and Fittings

Cord Grip Lamp Holder

- Ideal for 30mm shade holes.
- Max 100w.
- B22 electrical light lamp holder fitting.



NSP

Description	Code	Pack Qty	Outer Qty
Lamp Holder	EL26P	1	5

Push Bar Lamp Holder

- Standard Bayonet B22 electrical light lamp holder fitting with push bar.



NSP

Description	Code	Pack Qty	Outer Qty
Lamp Holder	EL27P	1	5

Spare Skirt

- T2 spare short skirt for lampholder.



NSP

Description	Code	Pack Qty	Outer Qty
T2	EL127P	1	5

Batten Lamp Holder

- Bayonet cap lamp holder.
- Ideal for any domestic or workplace ceiling.
- Ceiling rose base



NSP

Description	Code	Pack Qty	Outer Qty
3 Terminal BC	EL21P	1	5

Angled Lamp Holder

- T1 rated angled batten holder.
- With HO Skirt.
- Suitable for all standard bayonet cap lamps.



NSP

Description	Code	Pack Qty	Outer Qty
3 Terminal H/O Skirt	EL113P	1	5

Pendant Lamp Holder

- BC B22d bulb
- Pre-wired cable.
- 6" and 9" cable drop.
- 100W.
- Complies with BS4533/EN60598-1



NSP

Description	Code	Pack Qty	Outer Qty
6" Flex	EL112P	1	5
9" Flex	EL10P	1	5

Clip-on Lamp

- 13 Amp plug.
- Ideal for kitchens, workshops, offices and garages.
- Maximum bulb power 60W.
- Complies to BSEN/IEC60598



NSP

Description	Code	Pack Qty	Outer Qty
Adaptor	EL143P	1	3

Brass Lamp Holder

- BC lamp holder.
- Lamp can't be switched on without a bulb.
- Complies with BS5042-T2
- Requires a 3 core cable to earth.



NSP

Description	Code	Pack Qty	Outer Qty
½" Brass	EL118P	1	5
½" Brass switched	EL119P	1	5

Inline Switch

- Used to convert wall socket or touch lamps.
- White PVC.
- 2 Amp, 2 core.



NSP

Description	Code	Pack Qty	Outer Qty
2 Amp	EL122P	1	5

Ordering made easy



Receive



Process



Pick



Pack



Deliver

Ceiling Pull Switch

- Used in bathrooms or utility rooms.
- Ideal for lights and fans.
- Can be used with a second pull cord or wall mounted switch.
- Conforms to BS3676



NSP

Description	Code	Pack Qty	Outer Qty
6 Amp 2 Way	EL25P	1	5

Pull Cord Ceiling Switch

- Used in bathrooms or utility rooms.
- Ideal for lights and fans.
- Comes with a neon light.



Description	Code	Pack Qty	Outer Qty
45 Amp	EL126P	1	3

Switch Cord Pull

- Used in bathrooms or utility rooms.
- Length cord can be adjusted to required length.
- Suitable for ceiling switch.



NSP

Description	Code	Pack Qty	Outer Qty
Cord Pull	EL11P	1	5

Ceiling Rose

- White satin finish.
- Base two + loop-in + earth terminals.
- Cable not included.



NSP

Description	Code	Pack Qty	Outer Qty
Rose	EL111P	1	5

Sockets and Leads

Trailing Socket

- Rewireable gang socket.
- Complies with B51363/A.
- Rubber construction.



NSP

Description	Code	Pack Qty	Outer Qty
1 Gang			
Orange 13 Amp	EL133P	1	5
White 13 Amp	EL41P	1	5
2 Gang			
White 13 Amp	EL144P	1	5

RCD Safety Plug

- Added protection againg electrocution.
- Ideal for domestic and commercial appliances.
- Monitors the power supply.
- Current rating 13 Amp.
- Voltage rating 240V ac.
- Maximum load 3.2kw or 13a



Description	Code	Pack Qty	Outer Qty
Safety Plug	20477	1	1

1 Gang Extension Lead

- Connects equipment that have short cables.
- Single socket.
- Standard three-pin UK plug.
- Complies with BS1363/A



NSP

Description	Code	Pack Qty	Outer Qty
5m	EL03P	1	3

2 Gang Extension Lead

- Connects equipment that have short cables.
- Provides a double socket.
- Standard three-pin UK plug.
- Complies with BS1363/A



NSP

Description	Code	Pack Qty	Outer Qty
3m	EL146P	1	3

4 Gang Extension Lead

- Connects multiple equipment that have short cables.
- Provides four sockets with neon indicator.
- Standard three-pin UK plug.
- Complies with BS1363/A



NSP

Description	Code	Pack Qty	Outer Qty
2m	EL04P	1	3
5m	EL148P	1	3
10m	EL145P	1	3

4 Gang Surge Extension Lead

- Connects multiple equipment that have short cables.
- Provides four sockets.
- Neon indicator.
- Standard three-pin UK plug.
- Conforms to BS 1363/A



NSP

Description	Code	Pack Qty	Outer Qty
2m	EL134P	1	3

4 Gang Extension Lead with USB

- Connects multiple equipment that have short cables.
- Provides four sockets with two USB ports.
- Standard three-pin UK plug.
- Complies with BS1363/A.



NEW

Description	Code	Pack Qty	Outer Qty
2m	EL197P	1	3

6 Gang Extension Lead

- Connects multiple equipment that have short cables.
- Provides six sockets.
- Standard three-pin UK plug.
- Conforms to BS1363/A



NSP

Description	Code	Pack Qty	Outer Qty
2m	EL147P	1	3

10m Cable Reel Extension

- Compact cassette with plastic winding knob.
- Provides four sockets.
- Standard three-pin UK plug.



Description	Code	Boxed Qty
10m	EL139L	1

25m Cable Reel Extension

- Compact cassette with plastic winding knob.
- Provides four sockets with safety thermal cut out.
- Standard three-pin UK plug.



NEW

Description	Code	Boxed Qty
25m	EL199L	1

Open Drum Cable Reel

- Open Drum Reel with plastic winding knob.
- Provides four sockets with safety thermal cut out.
- Standard three-pin UK plug.



NEW

Description	Code	Boxed Qty
25m	EL200L	1
50m	EL201L	1

Mains Plug to C7 Plug

- Used with small or portable appliances that take C7.
- Ideal for game consoles, coffee makers and shavers.
- Standard three-pin UK plug.



NSP

Description	Code	Pack Qty	Outer Qty
C7	EL153P	1	5

Plugs and Adaptors

24 Hour Pin Timer

- Turns electrical appliances on/off at convenient times.
- Ideal for residential or commercial surroundings.
- 24 hour programming.



Description	Code	Pack Qty	Outer Qty
24 Hour	EL140P	1	3

7 Day Digital Timer

- Turns electrical appliances on/off at convenient times
- Ideal for residential or commercial surroundings.
- Controls the power usage and shuts off power.
- Digital timer with 16 options, 10 programmes and 12/24 hour time display.



Description	Code	Pack Qty	Outer Qty
7 Day	EL141P	1	3

Night Light Plug

- Automatic on-off function.
- Light sensor.
- Standard three-pin UK plug.



Description	Code	Pack Qty	Outer Qty
Plug	EL138P	1	5
Spare Bulb	EL150P	1	5

13 Amp Fused Household Plug

- Rewireable plug.
- Two-part body with a standard single screw.
- Standard three-pin UK plug.



NSL NSP

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
13 Amp	EL06L	10	EL06P	1	5

Place your order today



sales@centurioneurope.co.uk



01302 788 700

13 Amp Fused Tough Plug

- High impact thermoplastic.
- Ideal for power tools, portable lighting and workshops.
- Standard three-pin UK plug.
- Conforms to BS1363/A.



NSP

Description	Code	Pack Qty	Outer Qty
Orange	EL136P	1	5
White	EL135P	1	5
Black	EL31P	1	5

13 Amp 2 Way Unfused Adaptor

- Two way adaptor.
- Unfused requires 13A fuse.
- Standard three-pin UK plug.
- Conforms to BS1363



NSP

Description	Code	Pack Qty	Outer Qty
13 Amp	EL07P	1	5

13 Amp 3 Way Fused Adaptor

- Two way adaptor.
- Unfused requires 13A fuse.
- Standard three-pin UK plug.
- Conforms to BS1364



NSP

Description	Code	Pack Qty	Outer Qty
13 Amp	EL08P	1	5

Shaver Adaptor

- Can be used for shavers, trimmers and electric toothbrushes.
- Standard three-pin UK plug.
- Conforms to BS646



NSP

Description	Code	Pack Qty	Outer Qty
1 Amp	EL09P	1	5

Childsafe Socket Insert

- Safety covers for a three-pin UK plug.
- Blocks the electrical socket holes from children.
- Conforms to BS1363



NSP

Description	Code	Pack Qty	Outer Qty
White Plastic	EA48P	2	5

Travel Tourist Adaptor

- Plug adaptor to fit Continental Europe plugs.
- Small and light for carrying in luggage.
- Converts BS1363:1984 plug to CEE7 (10/16A)
- Complies with BS5733



NSP

Description	Code	Pack Qty	Outer Qty
UK to Continental Europe	EL32P	1	5

Travel Tourist Adaptor

- Plug adaptor to fit USA/Australasian plugs.
- Small and light for carrying in luggage.



NSP

Description	Code	Pack Qty	Outer Qty
UK to USA/Australasian	EL01P	1	5

Travel Tourist Adaptor

- For visitors to the UK from France/Germany.
- Converts CEE 7 SCHUKO (16A) plug to BS1363:1984 13A plug)
- Small and light for carrying in luggage.



Description

Description	Code	Pack Qty	Outer Qty
Continental Europe to UK	EL33P	1	5

Travel Tourist Adaptor

- Plug adaptor to fit all continent plugs.
- Converts all continents plug to BS5733/A 13A plug.
- Small and light for carrying in luggage.



Description

Description	Code	Pack Qty	Outer Qty
All Continents to UK	EL81P	1	5

Switches and Sockets

Light Switch

- Available in one, two & three switches.
- Two way switching can be added to the circuit.
- Screwed faceplate.
- Conforms to BS3676:1989.



NSP

Description	Code	Pack Qty	Outer Qty
10 Amp Single 2 Way	EL12P	1	5
10 Amp Double 2 Way	EL13P	1	5
10 Amp Triple 2 Way	EL91P	1	3

Dimmer Switch

- Allows dimming for comfortable ambience.
- Two way switching can be added to the circuit.
- Screwed faceplate.
- Suitable for use for all incandescent lighting.



Description	Code	Pack Qty	Outer Qty
1 Gang 400W 2 way	EL106P	1	3

Switched Wall Socket

- Available with 1 and 2 plug sockets.
- Two way switching can be added to the circuit.
- Screwed faceplate.
- Conforms to BS3676:1990.



Description	Code	Pack Qty	Outer Qty
13 Amp			
1 Gang Switched	EL14P	1	5
2 Gang Switched	EL15P	1	5

Wall Socket with USB

- Two plug sockets and USB charging points.
- Screwed faceplate.
- 2.1A 5V USB 2.0 Type A.



Description	Code	Pack Qty	Outer Qty
2 Gang	EL29P	1	1

Safety Blanking Plate

- Safely covering unwanted sockets/switches.
- Requires no wiring.
- Screwed faceplate.
- Conforms to BS5733.



Description	Code	Pack Qty	Outer Qty
Single	EL19P	1	5
Double	EL20P	1	5

Fused Spur

- Used to isolate electrical equipment from the mains.
- Used in kitchens for ovens and hobs.
- Screwed faceplate.



Description	Code	Pack Qty	Outer Qty
13 Amp Spur With Neon	EL92P	1	3
13 Amp Spur	EL101P	1	3

Double Pole Switch

- Connects two separate electrical circuits.
- Screwed faceplate.



NSP

Description	Code	Pack Qty	Outer Qty
20 Amp	EL103P	1	3

Switched Cooker Unit

- Controls the supply of electricity to the oven and hob.
- Neon power indicator.
- Screwed faceplate.



Description	Code	Pack Qty	Outer Qty
45 Amp	EL114P	1	3

Cooker Switch With Socket

- Switch control for cooker and socket.
- Controls the supply of electricity to the oven and hob.
- Neon power indicator.
- Screwed faceplate.



Description	Code	Pack Qty	Outer Qty
45 Amp	EL105P	1	3

Outdoor IP66 Switched Socket

- IP66 Weatherproof.
- Made from polycarbonate.
- Neon power indicator.
- Single and double sockets.



NEW

Description	Code	Pack Qty	Outer Qty
1 Gang	EL95P	1	3
2 Gang	EL96P	1	3

View our full product portfolio online
www.centurioneurope.co.uk





Mounting Boxes and Accessories

Surface Mounted Box

- Keeps electrical connections safe and protected.
- White PVC.
- Box is provided with earth terminal.
- Square face.
- Screwed faceplate.
- Conforms to BS5733.



NSP

Description	Code	Pack Qty	Outer Qty
1 Gang			
18mm	EL16P	1	5
25mm	EL17P	1	5
47mm	EL108P	1	5
2 Gang			
25mm	EL18P	1	5
47mm	EL109P	1	5

Galvanised Steel Box

- Keeps electrical connections safe and protected.
- Galvanised Steel.
- Box is provided with earth terminal.
- Square face.
- Screwed faceplate.
- Conforms to BS4662:1970.




NSP

Description	Code	Pack Qty	Outer Qty
1 Gang			
16mm	EL38P	1	5
25mm	EL39P	1	5
35mm	EL129P	1	5
47mm	EL115P	1	5
2 Gang			
25mm	EL40P	1	5
35mm	EL130P	1	5
47mm	EL116P	1	5

Dry Lining Box

- Use within a plasterboard wall or ceiling.
- Sits flush against the surface.
- Internal lugs to keep wiring secured in place.



NSP

Description	Code	Pack Qty	Outer Qty
34mm			
Single	EL93P	1	3
Double	EL94P	1	3

Electrical Switch and Socket Screws

- Countersunk screws.
- Secures electric sockets and switches.
- Able to withstand any sudden increases in heat from appliances.
- Resistant to corrosion and decay.



NSL NSP

Description	LOOSE		PACKED		
	Code	Boxed Qty	Code	Pack Qty	Outer Qty
M3.5 x 25mm					
Electric Brass	EA41L	100	EA41P	4	5
Zinc Plated	EA40L	100	EA40P	4	5
M3.5 x 50mm					
Electric Brass	EA10L	100	EA10P	4	5
Zinc Plated	EA09L	100	EA09P	4	5

Open Rubber Grommets

- Black polychloroprene rubber.
- Used to protect cables and wires.
- Also use to seal off any unused entries.



NSP

Description	Code	Pack Qty	Outer Qty
20mm	EA77P	4	5

Earth Clamp

- Connects the lead out cable to an earth rod.
- Useful for damp or chemical-laden conditions.
- Stainless steel strap.
- Aluminium label with safety warning message.
- Clamp has a maximum wire cross-section of 10mm².
- Conforms to BS951:1999.



NSP

Description	Code	Pack Qty	Outer Qty
12 -32mm	EA14P	1	5



Door Chimes

Plug In Door Chimes

- Mains operated.
- Waterproof bell push.
- 36 selectable chimes.
- Range up to 300 metres approximately.
- Led indicator on door chime.
- Bell push - 1 x 3V CR2032.
- Chime - 100-240V AC 50-60Hz.



Description	Code	Pack Qty	Outer Qty
Mains Operated	EL156P	1	1

Cordless Door Chimes

- Wireless - no wiring required.
- Waterproof bell push.
- 36 Selectable chimes.
- Range up to 300 metres approximately.
- Led indicator on door chime.
- 2 x AA 1.5V Alkaline batteries (not included).



Description	Code	Pack Qty	Outer Qty
Battery Operated	EL155P	1	1

Mobile Phone Accessories

USB-A to Lighting Cable

- Lightning USB charger and sync cable.
- Use with Apple devices.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
1m Cable	BT14P	1	3

USB-A to Lighting Braided Cable

- Lightning USB charger and sync cable.
- Durable and less prone to damage.
- Use with Apple devices.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
1m Braided Cable	BT13P	1	3

USB-A to USB-C Cable

- Industry standard connector for transferring data and power on a single cable.
- USB A to USB C connector.
- Oval and rounded USB-C end.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
1m Cable	BT15P	1	3

USB-A to USB-C Braided Cable

- Industry standard connector for transferring data and power on a single cable.
- Durable and less prone to damage.
- USB A to USB C connector.
- Oval and rounded USB-C end.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
1m Braided Cable	BT16P	1	3

USB-A Male to Micro USB Cable

- Ideal for charging Android phones and tablets or connecting PC peripherals.
- Powers small electronic devices.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
1m Male to Micro	BT17P	1	3

USB Charger Plug

- Single USB charging plug.
- Works with USB cable to charge phones, tablets, ebook readers, cameras or other USB devices.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
USB 3 Pin Plug	BT12P	1	3

USB Charger Port

- Dual USB car charger.
- Used for smartphones and tablets.
- QC 3.0 and PD 18W.



NEW **NSP**

Description	Code	Pack Qty	Outer Qty
18W Charger QC	BT18P	1	3

**ORDER ANYTIME
ANYWHERE 24/7**

www.centurioneurope.co.uk



Smart Products

OUR NEW **SMART RANGE** IS COMPATIBLE WITH ANDROID, APPLE, ALEXA AND GOOGLE ASSISTANT.



Smart plugs are a simple way to automate the wired devices in your home. They allow you to turn almost any wired appliance with an on/off switch in your home into an automated one that can be controlled by your phone.

Smart Plugs

- Switches appliances on and off.
- Compatible with Android, Apple, Google Assistant and Alexa.
- Cost effective.



NEW

Description	Code	Pack Qty	Outer Qty
	SM10P	1	3

Smart light bulbs enable users to minimise unnecessary light and energy usage in their homes by allowing the control of lighting through you phone, to schedule lights to turn on or off.

Smart LED GU10 Lamp

- Dimmable.
- 4.8w 50w replacement.

NEW **NSP**

Description	Code	Pack Qty	Outer Qty
4.8w 360lm	SM01P	1	12



Smart LED GLS BC Lamp

- Dimmable.
- 9.2w 60w replacement.

NEW **NSP**

Description	Code	Pack Qty	Outer Qty
B22 8.5w/60w 806lm	SM02P	1	12



Smart LED GLS ES Lamp

- Dimmable.
- 9.2w 60w replacement.

NEW **NSP**

Description	Code	Pack Qty	Outer Qty
E27 8.5w/60w 806lm	SM03P	1	12



Lighting & Lamp Accessories

Energizer LED GLS Lamps

- GLS (general lamp service).
- Opal finish.
- Average life span of 15,000 hours.
- 85% energy saving.



NSP

Description	Code	Pack Qty	Outer Qty
ES Warm White			
E27 4.9w/40w 470lm	93324	1	12
E27 8.5w/60w 806lm	93480	1	12
E27 13.5w/100w 1521lm	93482	1	12
BC Warm White			
B22 4.9w/40w 470lm	93325	1	12
B22 8.5w/60w 806lm	93481	1	12
B22 13.5w/100w 1521lm	93483	1	12

Energizer LED Golf Lamps

- GLS (general lamp service).
- Opal finish.
- Average life span of 15,000 hours.
- 85% energy saving.



NSP

Description	Code	Pack Qty	Outer Qty
ES Warm White			
E14 3w/25w 250lm	93326	1	12
E27 3w/25w 250lm	93327	1	12
E14 4.9w/40w 470lm	93475	1	12
E27 4.9w/40w 470lm	93476	1	12
BC Warm White			
B22 3w/25w 250lm	93328	1	12
B22 4.9w/40w 470lm	93477	1	12

Energizer LED Candle Lamps

- Candle bulb with edison screw fitting.
- Average life span of 15,000 hours.
- 85% energy saving.



NSP

Description	Code	Pack Qty	Outer Qty
ES Warm White			
E14 3w/25w 250lm	93329	1	12
E14 4.9w/40w 470lm	93478	1	12
BC Warm White			
B22 3w/25w 250lm	93330	1	12
B22 4.9w/40w 470lm	93479	1	12

Energizer GU10 LED Lamps

- GU10 Spot.
- Not dimmable.
- Average life span of 15,000 hours.
- 85% energy saving.



NSP

Description	Code	Pack Qty	Outer Qty
Warm White			
2.4w/35w GU10 230lm	93331	1	12
4.2w/50w GU10 345lm	93332	1	12
Cool White			
4.2w/50w GU10 345lm	93473	1	12
4.2w/50w GU10 345lm	93474	1	12

Energizer LED Strip Tubes

- Fluorescent tube.
- Shatter proof coating.
- Average life span of 15,000 hours.
- 90% energy saving.



NSP

Description	Code	Pack Qty	Outer Qty
Warm White			
4w S15 350lm	93484	1	12
6w S15 550lm	93485	1	12

Energizer LED Lamps

- Not dimmable.
- Average life span of 15,000 hours.
- 85% energy saving.



NEW NSP

Description	Code	Pack Qty	Outer Qty
G4 Warm White			
1.2w/10w 90lm	93486	1	12
G9 Warm White			
1.9w/20w 200lm	93487	1	12
4.2w/40w 470lm	NEW 93812	1	12

Energizer Halogen ECO Lamp

- Halogen.
- Dimmable.
- Average life span of 15,000 hours.
- 85% energy saving.



NSP

Description	Code	Pack Qty	Outer Qty
G4 Warm White			
16w/20w 280lm	93517	1	10
G9 Warm White			
33w/40w 460lm	93518	1	10

Eveready Pygmy Lamp

- Suitable for refrigerator, indication and night light.
- Long life, energy saving.
- Low maintenance costs.
- 1 year lamp life span.
- Screw 15w bulb.



NSP

Description	Code	Pack Qty	Outer Qty
15w S14/SES	90501	1	10

Eveready Oven Lamp

- Oven appliance bulb.
- Up to 300 degrees heat resistant.
- 1,000 hours approx.



NSP

Description	Code	Pack Qty	Outer Qty
15w S14/SES	90502	1	10
25w S14/SES	90503	1	10
40w S14/SES	90504	1	10

Floodlight

- Practical and weatherproof.
- Glass lens sealed with silicone rubber gasket.
- Water-resistant seal.
- Provides a 180 degree PIR at 12m range.



Description	Code	Pack Qty	Outer Qty
150W			
PIR Sensor	91474	1	6
500W			
PIR Sensor	91136	1	6

180° PIR Stand Alone Sensor

- Plastic construction with opal lens.
- 140° horizontal movement.
- 90° vertical movement.
- 1200W switching capacity.
- 240V with 180° PIR 12m range.



Description	Code	Pack Qty	Outer Qty
PIR Sensor 180°	91495	1	6

Lantern

- Victorian style lantern.
- Weather resistant.
- 60W ES E27 bulb required.



Description	Code	Pack Qty	Outer Qty
6 Sided	91138	1	4
6 Sided - PIR Sensor	91139	1	4

View our full product offerings online www.centurioneurope.co.uk

Bulkhead Light

- For ceiling and wall mounting.
- Oval or round lamp with wire basket.
- 1 x 60Watt max.
- ES/E27 standard bulb.



Description	Code	Pack Qty	Outer Qty
Oval	91140	1	8
Round	91141	1	8

Recessed Downlight

- Zinc alloy.
- GU10 max, 50W.
- 240V.
- Triple pack.



Description	Code	Pack Qty	Outer Qty
Fixed Polished Chrome	91476	3	5
Fixed Brush Chrome	91477	3	5

Fire Rated Recessed Downlight

- LED light source.
- Energy efficiency & longer lifespan.
- Directional control.
- Fire Rated Fixed.



Description	Code	Pack Qty	Outer Qty
Polished Chrome	91493	1	10
Brushed Chrome	91494	1	10

Rechargeable LED Worklight

- 10W LED.
- Over-charge protection.
- Up to 3 hours operating times from a full 4 hour charge.



Description	Code	Pack Qty	Outer Qty
10W	91492	1	6

Energizer LED Floodlight

- Generate less heat.
- Adjustable tool included.
- Waterproof.
- PIR sensor version available.



Description	Code	Pack Qty	Outer Qty
10W	93535	1	8
20W	93536	1	8
30W	93537	1	6
PIR Sensor			
10W	93538	1	8
20W	93539	1	8
30W	93540	1	6

Fire, heat and CO Alarms

Battery Operated Smoke Alarm

- Uses an optical sensor.
- 3 year warranty.
- Hush button feature.
- Certified to EN14604:2005.
- 9V Alkaline battery included.



NEW

Description	Code	Pack Qty	Outer Qty
Smoke Alarm	21104	1	18

Interconnectable Heat Alarm

- 230V mains-powered with 9V Alkaline battery back-up.
- Combined Test/Hush™ button.
- Reduced energy consumption.
- 6 years warranty.
- CE tested and certified BS5446 Part 2: 2003.



NEW

Description	Code	Pack Qty	Outer Qty
Heat Alarm	21102	1	6

Battery Operated CO Alarm

- Compact and lightweight.
- 10 years sensor life.
- 3 year alarm warranty.
- Free standing or wall mounted.
- Certified to EN50291-1:2018 Standards.
- 2 x AA batteries included.



NEW

Description	Code	Pack Qty	Outer Qty
Carbon Monoxide Alarm	21103	1	24

Carbon Monoxide Alarm

- Compact and lightweight.
- 10 years sensor life.
- Free standing or wall mounted.
- Certified to EN50291-1:2018.
- 2 x AA batteries included.



NEW

Description	Code	Pack Qty	Outer Qty
Carbon Monoxide Alarm	21101	1	6

View our full product offerings online www.centurioneurope.co.uk

Batteries and Chargers

Battery Charger

- Charge slots.
- For use with rechargeable batteries.
- Charging starts straight away.

NEW **NSP**



Description	Code	Pack Qty	Outer Qty
	93811	1	6

Energizer Alkaline Power Batteries

- Designed to keep devices running longer.
- Available in a wide variety of sizes.

NSP



Description	Code	Pack Qty	Outer Qty
AA x 4	90080	4	24
AAA x 4	90081	4	12
C x 2	90082	2	6
D x 2	90083	2	6
9V	90084	1	12

Energizer Industrial Alkaline Batteries

- Designed to keep devices running longer.
- Available in a wide variety of sizes.

NSP



Description	Code	Pack Qty	Outer Qty
AA	93530	10	12
AAA	93531	10	6

Eveready Super Zinc Batteries

- Designed to keep electronic devices running longer.
- Used in torches, clocks and radios.
- Available in AA, AAA, C and D.

NSP



Description	Code	Pack Qty	Outer Qty
AA x 4	90085	4	24
AAA x 4	90086	4	12
C x 2	90087	2	24
D x 2	90088	2	24
9V	90089	1	12

Eveready Zinc Lantern Batteries

- 11Ah lantern battery.
- High performance, zinc chloride with 6V nominal voltage.
- Male and female terminals are marked.

NSP



Description	Code	Pack Qty	Outer Qty
6V	93532	1	6

JCB Coin Cell Battery

- Lithium batteries.
- Used for clocks, scales and key fobs.



NSP

Description	Code	Pack Qty	Outer Qty
CR2016	91041	1	10
CR2025	91042	1	10
CR2032	91043	1	10
Assorted x 6	93533	6	12
Assorted x 15	93534	15	20

JCB Rechargeable Batteries

- Batteries come charged.
- 900 mAh rechargeable.
- Up to 1000 charges.
- Rechargeable.

NSP



Description	Code	Pack Qty	Outer Qty
900 mAh AAA x 4	93548	4	10
1200 mAh AA x 4	91038	4	10

Duracell Plus Power Batteries

- Alkaline Manganese dioxide battery.
- Suited for everyday devices.
- Available in a wide variety of sizes.
- Plus power provides 100% extra life.

NSP



Description	Code	Pack Qty	Outer Qty
9V	91489	1	10
AA x 4	93528	4	10
AAA x 4	93529	4	10
C x 2	91487	2	10
D x 2	91488	2	10

Ordering made easy



Receive



Process



Pick



Pack



Deliver

TORCHES

Aluminium Mini Torch

- Super bright mini torch with wrist strap.
- Compact pocket size approx 9.5cm length.
- 3 x AAA batteries included.
- Display box available.



NSP

Description	Code	Pack Qty	Outer Qty
Display Box	EA100DB	12	1

Black Rubber Coated Mini Torch

- Rubber design.
- Wrist strap.
- Push button for on and off.
- 3 x AAA batteries included.
- Display box available.



NSP

Description	Code	Pack Qty	Outer Qty
Display Box	EA84DB	12	1

USB Rechargeable Mini Keyring Torch Light

- Chip on Board (COB) LED technology.
- 80 Lumens rechargeable battery.
- 3 light functions; 100% | 50% | Flashing.
- Retractable USB plug, can be used with most USB sockets with 5v 1.0A power.
- Display box available.



NSP

Description	Code	Pack Qty	Outer Qty
Display Box	EA101DB	24	1

Round Worklight

- Chip on Board (COB) LED technology.
- 3W is equal to 180 Lumens.
- With swivel hook and magnet back.
- 3 x AAA batteries included.
- Display box available.



NSP

Description	Code	Pack Qty	Outer Qty
Display Box	EA91DB	12	1

Mini Keyring Torch Light

- COB flashlight keychain.
- Three light modes.
- Attach to keys, backpack or outdoor gear.
- 3 x AAA Batteries.
- Display box available.



NSP

Description	Code	Pack Qty	Outer Qty
Display Box	EA102DB	24	1

Inspection Work Light Torch

- Chip on board (COB) bright white LEDs.
- Foldable hanging hook.
- Magnet on rear of the body.
- 3 x AAA batteries included.
- Display box available.



NSP

Description	Code	Pack Qty	Outer Qty
Display Box	EA94DB	6	1

NOTES

Super bright CREE and COB lighting is powerful yet uses a fraction of the energy meaning batteries last longer.

- Multi-Use Torches
- Lantern
- Worklights
- Penlight
- Headlights

BATTERIES INCLUDED

LED Penlight Torch

- Penlight chip on board (COB).
- Pocket clip.
- 1W LED torch.
- 3 x AAA batteries included.
- Display box available.



NSP

Description	Code	Pack Qty	Outer Qty
Display Box	EA96DB	15	1

COB Pullout Worklight

- Chip on board (COB).
- Pocket clip.
- White/Red flashtouch.
- 4 x AAA batteries included.
- Display box available.



NSP

Description	Code	Pack Qty	Outer Qty
Display Box	EA97DB	6	1

Head Light

- Adjustable strap.
- Low light conditions.
- CREE LED.
- 3 x AAA batteries included.



NSP

Description	Code	Pack Qty	Outer Qty
1W CREE	EA99P	1	3

Code	Pg	Code	Pg	Code	Pg	Code	Pg	Code	Pg	Code	Pg	Code	Pg	Code	Pg	Code	Pg	Code	Pg
20340	31	93538	48	CX05	38	EL08	42	EL167-10	37	PA109	21	PA266	22	PA371	21	PA520	13		
20477	40	93539	48	CX06	38	EL09	42	EL167-5	37	PA11	30	PA269	23	PA372	22	PA521	13		
21101	48	93540	48	CX07	38	EL10	39	EL168	37	PA110	21	PA27	23	PA375	14	PA522	17		
21102	48	93548	49	CX08	37	EL101	43	EL168-10	37	PA111	21	PA270	23	PA376	15	PA523	17		
21103	48	93811	49	CX09	37	EL103	43	EL168-25	37	PA112	26	PA271	29	PA377	15	PA524	17		
21104	48	93812	47	CX10	38	EL105	43	EL169	37	PA113	26	PA28	23	PA38	18	PA525	24		
90080	49	BT01	38	CX12	37	EL106	43	EL169-10	37	PA114	26	PA281	22	PA380	15	PA526	24		
90081	49	BT02	38	CX13	37	EL108	44	EL169-25	37	PA115	26	PA283	28	PA382	15	PA527	25		
90082	49	BT03	38	EA03	34	EL109	44	EL17	44	PA116	26	PA284	28	PA387	19	PA528	28		
90083	49	BT04	38	EA04	35	EL11	40	EL170	37	PA117	30	PA287	29	PA388	19	PA529	28		
90084	49	BT06	38	EA05	35	EL110	36	EL170-10	37	PA118	10	PA288	29	PA389	19	PA531	28		
90085	49	BT07	38	EA06	35	EL111	40	EL170-25	37	PA119	10	PA29	28	PA390	19	PA532	24		
90086	49	BT09	39	EA08	34	EL112	39	EL171	37	PA12	14	PA291	18	PA393	27	PA533	24		
90087	49	BT10	38	EA09	44	EL113	39	EL171-10	37	PA121	16	PA292	18	PA394	14	PA54	25		
90088	49	BT12	45	EA10	44	EL114	43	EL171-25	37	PA122	16	PA293	18	PA395	15	PA55	25		
90089	49	BT13	45	EA100	50	EL115	44	EL174	36	PA123	15	PA294	18	PA40	31	PA56	24		
90501	47	BT14	45	EA100D	50	EL116	44	EL175	36	PA124	24	PA295	18	PA405	16	PA57	18		
90502	47	BT15	45	EA101	50	EL118	39	EL176	36	PA125	30	PA296	18	PA406	16	PA58	24		
90503	47	BT16	45	EA101D	50	EL119	39	EL177	36	PA127	30	PA298	19	PA408	26	PA59	19		
90504	47	BT17	45	EA102	50	EL12	42	EL178	36	PA133	24	PA299	19	PA409	27	PA60	24		
91038	49	BT18	45	EA102D	50	EL122	39	EL179	36	PA139	15	PA30	30	PA41	30	PA64	29		
91041	49	CC01	34	EA14	44	EL126	40	EL18	44	PA140	28	PA300	14	PA410	26	PA65	29		
91042	49	CC02	34	EA24	35	EL127	39	EL180	36	PA141	28	PA301	14	PA411	26	PA68	29		
91043	49	CC03	34	EA25	35	EL129	44	EL181	36	PA147	24	PA302	14	PA412	20	PA69	29		
91136	47	CC04	34	EA29	35	EL13	42	EL19	43	PA15	30	PA303	14	PA414	20	PA74	26		
91138	47	CC05	34	EA30	35	EL130	44	EL197	41	PA16	21	PA304	15	PA418	24	PA83	28		
91139	47	CC06	34	EA31	35	EL131	38	EL199	41	PA160	25	PA305	15	PA419	13	PA85	28		
91140	48	CC07	34	EA33	35	EL132	38	EL20	43	PA162	25	PA306	15	PA420	13	PA87	29		
91141	48	CC08	34	EA34	35	EL133	40	EL200	41	PA164	25	PA307	15	PA421	13	PA88	29		
91474	47	CC10	34	EA35	35	EL134	40	EL201	41	PA166	25	PA308	15	PA422	16	SM01	46		
91476	48	CC11	34	EA36	35	EL135	42	EL21	39	PA168	25	PA309	15	PA423	16	SM02	46		
91477	48	CC12	34	EA37	35	EL136	42	EL22	36	PA169	28	PA31	31	PA424	16	SM03	46		
91487	49	CC13	34	EA38	35	EL138	41	EL23	36	PA17	30	PA311	15	PA426	21	SM10	46		
91488	49	CC14	34	EA39	35	EL139	41	EL24	36	PA170	28	PA312	15	PA427	21	TA105	34		
91489	49	CC15	34	EA40	44	EL14	43	EL25	40	PA171	28	PA315	16	PA428	21	TA48	31		
91492	48	CO01	11	EA41	44	EL140	41	EL26	39	PA174	28	PA316	16	PA429	21	TA49	31		
91493	48	CO02	11	EA46	35	EL141	41	EL27	39	PA175	28	PA32	31	PA43	30	VE01	31		
91494	48	CO03	11	EA48	42	EL142	36	EL28	36	PA18	17	PA325	18	PA431	29	VE02	31		
91495	47	CO04	11	EA53	35	EL143	39	EL29	43	PA185	25	PA326	18	PA432	29	VE04	31		
93324	46	CO05	11	EA54	35	EL144	40	EL31	42	PA186	25	PA327	19	PA433	27	VE05	31		
93325	46	CO06	12	EA55	35	EL145	40	EL32	42	PA19	17	PA328	19	PA434	27	VE06	31		
93326	46	CO08	12	EA56	35	EL146	40	EL33	42	PA20	17	PA329	19	PA435	27	VE07	31		
93327	46	CO09	12	EA57	35	EL147	41	EL38	44	PA201	31	PA33	28	PA436	27	VE08	31		
93328	46	CO10	12	EA58	35	EL148	40	EL39	44	PA203	31	PA330	19	PA441	20	VE09	31		
93329	46	CO11	11	EA59	35	EL15	43	EL40	44	PA21	18	PA331	19	PA442	20	VE10	31		
93330	46	CO12	11	EA68	34	EL150	41	EL41	40	PA22	23	PA332	20	PA443	20	VE11	31		
93331	47	CO13	12	EA69	34	EL153	41	EL81	42	PA23	30	PA333	20	PA458	20	VE12	31		
93332	47	CO14	12	EA70	34	EL155	45	EL91	42	PA234	19	PA334	27	PA459	20	VE13	31		
93473	47	CO19	13	EA71	34	EL156	45	EL92	43	PA235	19	PA335	27	PA462	29	VE15	31		
93474	47	CO20	13	EA72	34	EL157	36	EL93	44	PA236	19	PA336	27	PA465	29	VE16	31		
93475	46	CO24	12	EA73	34	EL157-10	36	EL94	44	PA237	19	PA337	27	PA49	29	VE27	31		
93476	46	CO25	12	EA74	34	EL157-5	36	EL95	43	PA238	23	PA338	27	PA494	27	VE33	31		
93477	46	CO26	11	EA77	44	EL158	36	EL96	43	PA239	23	PA343	27	PA495	27	VE34	31		
93478	46	CO27	11	EA78	34	EL158-10	36	FC31	16	PA24	23	PA344	23	PA496	28	VE35	31		
93479	46	CO28	11	EA79	34	EL158-5	36	FC32	16	PA240	23	PA345	24	PA497	28	VE36	31		
93480	46	CO29	11	EA80	34	EL159	36	FC36	16	PA241	21	PA350	30	PA500	29	VE40	31		
93481	46	CO30	12	EA81	34	EL159-10	36	GA307	31	PA242	21	PA351	30	PA501	29	YS01	10		
93482	46	CO31	12	EA82	34	EL159-5	36	MI06	26	PA243	21	PA352	30	PA502	29	YS02	10		
93483	46	CO32	12	EA84	50	EL16	44	MI14	26	PA244	21	PA353	30	PA503	13	YS06	10		
93484	47	CO33	13	EA84D	50	EL160	36	MI15	26	PA245	15	PA354	30	PA504	13	YS07	10		
93485	47	CO34	13	EA87	34	EL160-2	36	MI26	26	PA246	19	PA355	30	PA505	14	YS08	10		
93486	47	CO35	13	EA91	50	EL160-5	36	MI32	26	PA247	19	PA357	23	PA506	27	YS09	10		
93487	47	CO36	13	EA91D	50	EL163	36	PA01	17	PA248	18	PA358	20	PA507	14	YS12	10		
93517	47	CO37	12	EA94	50	EL163-10	36	PA02	17	PA249	18	PA360	22	PA508	14	YS13	10		
93518	47	CO40	11	EA94D	51	EL163-2	36	PA04	14	PA25	23	PA361	22	PA509	14	YS23	10		
93528	49	CO41	11	EA96	51	EL164	37	PA05	21	PA252	13	PA362	22	PA51	25	YS24	10		
93529	49	CO42	12	EA96D	51	EL164-10	37	PA06	13	PA253	13	PA363	22	PA510	16	YS25	10		
93530	49	CO45	11	EA97	51	EL164-5	37	PA07	13	PA254	14	PA364	22	PA511	16	YS30	10		
93531	49	CO456	11	EA97D	51	EL165	37	PA08	25	PA255	20	PA365	22	PA512	16	YS31	10		
93532	49	CO47	12	EA99	51	EL165-10	37	PA09	30	PA256	29	PA366	22	PA513	16	YS32	10		
93533	49	CW66	26	EL01	42	EL165-5	37	PA10	14	PA257	30	PA367	22	PA514	16	YS60	10		
93534	49	CX01	37	EL03	40	EL166	37	PA105	24	PA262	21	PA368	22	PA515	17	YS61	10		
93535	48	CX02	37	EL04	40	EL166-10	37	PA106	20	PA263	21	PA369	22	PA516	17	YS62	10		
93536	48	CX03	38	EL06	41	EL166-5	37	PA107	20	PA264	22	PA37	31	PA517	17	YS63	10		
93537	48	CX04	38	EL07	42	EL167	37	PA108	20	PA265	22	PA370	22	PA518	17	YS64	10		

A		Extension Cable Reel	41	M		Stopcock	14
Adaptors	42	Extension Leads	40	Meter Box Keys	34	Surface Box	44
Aquasave Washers	25	F		Modem Adaptor	38	Swivel 'P' Traps	19
B		Flanged Back Nut	13	N		Swivel 'S' Traps	19
Ball Valve	13	Flat Channel Fittings	22	Night Light Plug	41	Syphon Bolt Kit	25
Ball Valves	25	Flex Connectors	36	O		T	
Basin Plugs/ Chain	30	Float Valves	23	O Rings	29	Tap Adaptor	27
Bath Traps	20	Floodlights	47,48	Olive Rings	13	Tap Cartridges	27
<i>Batteries</i>		Flush Pipe	24	P		Tap Connectors	16
- Duracell	49	Flushpipe Connector	24	P.T.F.E Tape	31	Tap Tails	16
- Energizer	49	Fused Spur	43	Pipe	22	Telephone Adaptor	38
- Eveready	49	Fuses	34	Pipe Clips	16,19	Telephone Lead	38
- JCB	49	G		Pipe Collars	16	Telephone Socket	38
Battery Charger	49	Galvanised Steel Box	44	Pipe Cover	16	Telescope Rail	26
Bayonet Socket	30	Garden Taps	14	Pipe Inserts	15	Telux Flux	31
Blank Cap	13	Gas Cooker Fittings	30	Plastic Compression		Terminal Blocks	35
Blanking Plate	43	Gas PTFE Tape	31	Fittings	18	Threaded Connector	23
Boiler Filling Loop	17	Gate Valves	13	Plastic Plumbing		Timers	41
Bottle Traps	20	Grid Cover	31	Fittings	14	Toilet Pan Fixing Kit	24
Brass Cotter Pin	25	Grommets	44	Plugs	41,42	Toilet Roll Holder	26
Broadband Cable	39	Gully Grids	31	Push Fit Fittings	19	Toilet Seat	26
Bulkhead Lights	48	Gutter Guard	31	Push Wire Connector	36	Toilet Seat Hinges	25
C		H		PVC Tape	34	Torches	50,51
C' Link	24	HDMI Cables	38	R		Tourist Adaptor	42
Cable Clips	34	Heat Alarm	48	Radiator Air Vent	17	Trailing Socket	40
Cable Connectors	38	Hose Clips	23	Radiator Brackets	17	Tumble Dryer Hose	22
Carbon Monoxide Alarms	48	Hose Connector	15	Radiator Keys	17,18	Tumble Dryer Kit	21
Ceiling Pull Switches	40	I		Radiator Valves	17	U	
Ceiling Rose	40	Inlet Trap Washers	20	RCD Safety Plug	40	USB Cables	45
Check Valve	13	Inline Switch	39	Riser Rails	27	USB Chargers	45
Childsafe Socket Insert	42	Insulated Push-On	35	S		USB Lead	38
Cistern Handles	24	Insulated Sockets	35	Saddle Pipe Clips	10	V	
Cistern Washers	25	Insulated Bullets	35	Sanitary Fixing Kit	24	Vents	31
Citerns Fittings	24	Isolating Valves	13	Scart Leads	38	W	
Coaxial Cables	38	J		Scotchlok Connectors	35	Wall Outlets	22
Coaxial Plugs	37	Jointing Paste	31	Service Valve	13	Wall Sockets	43
Coaxial Sockets	37,38	Junction Box	36	Shaver Adaptor	42	Wall Vents	21
Compression Fittings	11,12	K		Shower Adaptor	26	Washers	28,29
Cooker Hoses	30	Kwik Fit Connectors	23	Shower Curtain	26	Washing Machine	
Cord Pull	40	L		Shower Rail	26	Connectors	21
Crocodile Clips	35	Lamp Holders	39	Shower Rings	26,27	Washing Machine	
D		Lanterns	47	Shower Heads	27	Fittings	21
Dimmer Switch	43	Lever Connector	36	Shower Hose	26	Washing Machine	
Door Chimes	45	<i>Light Bulbs</i>		Shower Traps	20	Hoses	21
Downlights	48	- Candle Lamps	46	Shower Waste		Washing Machine	
Draw Off Cock	14	- ECO Lamp	47	Strainer	29	Trap	20
Dry Lining Box	44	- GLS Lamps	46	Sink Chains	30	Waste and Overflow	28
Dual Flush Syphon	24	- Golf Lamps	46	Sink Plugs	29,30	Waste Pipe	20
Ducting Hose	22	- GU10 LED Lamps	47	Sink Strainers	29	Waste Plug	28
E		- LED Lamps	47	Smart Light Bulbs	46	Waste Plumbing Kit	21
Earth Clamp	44	- LED Strip Tubes	47	Smart Plugs	46	Waste Trap Hose	
<i>Electrical Cables</i>		- Oven Lamp	47	Smoke Alarm	48	Connector	20
- 2 Core Bell Wire	37	- Pygmy Lamp	47	Solder Ring Fittings	10	Worklights	48
- 2 Core Round Flex	37	Light Switches	42,43	Solder Wire	31		
- 3 Core Round Flex	37	Louvre Grille	22	Spare Brass Nozzle	14		
- Earth Sleeving	36			Spare Cones	26		
- Single Core Coaxial	37			Spare Skirt	39		
- Twin & Earth Cable	36			Stand Alone Sensor	47		
Electrical Screws	44			Stop Valves	20,21		

Terms & Conditions of Trading

1. Definitions

"Business Day" means any day other than a Saturday, Sunday or public holiday in England, when banks are open for business;

"Contract" means the agreement between the Customer and Centurion Europe Ltd for the sale and delivery of Goods in accordance with these Terms and Conditions;

"Customer" means any individual, firm or company to whom the Goods are supplied under the Contract;

"Delivery Location" means the address specified in the Order or to any other such address as shall be agreed between the parties in this contract;

"Centurion" means Centurion Europe Ltd or any other company within the same group of companies such as Spectrum Industrial Limited;

"Goods" means the goods supplied by Centurion to the Customer pursuant to the Contract;

"Insolvency Event" means:

(i) the passing by the Customer of a resolution for its winding up or the making by a court of competent jurisdiction of an order for the winding up or the dissolution of the Customer;

(ii) the making of an administration order in relation to the Customer or the appointment of a receiver or administrative receiver over, or the taking of possession or sale by an encumbrance of a material part of the Customer assets;

(iii) the Customer making an arrangement or composition with its creditors generally or making an application to a court of competent jurisdiction for protection from its creditors generally; or

(iv) any event or act or proceedings analogous to the above in any jurisdiction; or

"Order" means the Customer's expressed desire, whether oral or written, to procure Goods from Centurion Europe Ltd;

"Returns Policy" means the policy specified in condition 14;

"Terms and Conditions" means these terms and conditions;

2. Acceptance

2.1 All Orders are subject to the acceptance by Centurion with such acceptance being subject to the Customer's agreement to be bound by the Terms and Conditions. Centurion reserves the right to decline any order; any Order confirmed by Centurion cannot be cancelled except with the consent of Centurion.

2.2 Acceptance by the Customer of delivery of Goods constitutes acceptance by the Customer of these Terms and Conditions. These Terms and Conditions shall apply to the exclusion of any additional or different terms proposed by the Customer or which the Customer may purport to apply, impose or incorporate into the Contract and such different terms shall not be binding upon or enforceable against Centurion.

3. Prices

3.1 Prices quoted by Centurion are subject to change without notice, unless otherwise agreed.

3.2 A quotation does not constitute an offer and can be withdrawn at any time prior to acceptance of an Order by Centurion.

3.3 Prices and charges published or specified by Centurion at the time of acceptance of the Order shall apply. Should any modification or extra work be required by the Customer and is carried out by Centurion, a variation in price will be notified to the customer prior to fulfilment of order.

3.4 Unless otherwise stated, all prices are quoted in British Pounds Sterling.

3.5 Where invoices are charged in Euros we reserve the rights to adjust our prices based on the current exchange rate.

3.6 The prices shown are exclusive of VAT which will be charged to and paid by the customer at the rate ruling at the tax point.

4. Credit

4.1 Centurion may, at its sole discretion, extend credit to the Customer.

4.2 Centurion may perform periodic credit reviews using credit reporting agencies, trade references, trade groups and banks.

4.3 The Customer shall promptly notify Centurion in the event of an adverse change in Customer's credit standing and in the event of any such adverse change or where the Customer does not comply with these Terms and Conditions,

4.4 Centurion shall have the unilateral right to change or remove the credit terms extended to the customer.

4.5 In the event that suitable credit references are not received, Initial transactions may be on a Proforma basis for a period not exceeding 6 months or 6 transactions (whichever occurs first) at which point an account performance review will take place. At this stage and at the sole discretion of Centurion, the Customer may be extended credit terms.

5. Payment

5.1 All payments are to be made in full before the end of the month following the month of despatch, unless the Customer is paying on a proforma basis, at which point, the goods must be paid for prior to despatch. Any alternative terms of payment must be agreed in writing by a Centurion Director prior to despatch of the goods.

5.2 Centurion will not accept any fee, marketing support, advertising, expense reimbursement, rebate, settlement or any other financial support not explicitly authorised in writing by an authorised Manager or Director of Centurion.

5.3 Centurion reserves all its rights and remedies at law to collect any amounts not paid in full by the Payment Date. Centurion reserves the right to charge interest on any amounts not paid by the Payment Date at a rate of 4% per annum above the prevailing base rate of the Bank of England (accruing daily and compounded monthly) from the Payment Date until paid in full in cleared funds whether before or after judgment. The Customer agrees to reimburse Centurion for all costs associated with such collection activities, including all legal and professional fees.

5.4 Delayed billing of interest due or a failure to bill for interest due shall not constitute a waiver of Centurion right to charge interest on all amounts over due to the date payment is received.

5.5 Centurion's obligation to provide Goods is subject to receipt of prompt payment of all invoices pursuant to the Contract including the Terms and Conditions and other agreements Centurion may have with the Customer.

5.6 The Customer shall promptly notify Centurion in the event any portion of an invoice be disputed, and the Customer shall pay any undisputed portion according to these Terms and Conditions. Both parties agree to use their reasonable efforts to resolve the disputed portion of such invoice within 30 days of notification by the Customer to Centurion.

6. Delivery

6.1 Centurion Products – Mainland UK Only - No delivery charge will be applied for Centurion hardware orders fulfilled over the value of £100 nett. For orders under these values, carriage will automatically be charged in addition at £7.50.

6.2 Spectrum Only Product Orders – Mainland UK Only - No delivery charge will be made for Spectrum Industrial sign orders fulfilled over the value of £75 nett. For orders under these values, carriage will be automatically charged at £6.50.

6.3 Northern Ireland & UK Islands - No delivery charge will be applied for orders fulfilled over the value of £250 nett. For orders under these values, carriage will automatically be charged in addition at £15.00

6.4 Southern Ireland & Rest of Europe - Orders delivered to customers premises (DAP) - Customers will be responsible for any duty and VAT that becomes due on import. No delivery charge will be applied for orders fulfilled over the value of £500. For orders under these values, carriage will automatically be charged in addition at £50.00. Important Note: Any order which is despatched to Southern Ireland or Europe will be delivered DAP - This will mean that the customer receiving the order will be responsible for any duty and VAT that becomes due on import.

6.5 24 hour deliveries are available for stock items delivered to the UK mainland only at an additional charge of £15.00.

6.6 In the event that both Centurion and Spectrum products are ordered together, the Centurion delivery terms and carriage charges will apply.

6.7 The point of delivery shall be when the Goods are removed from the transporting vehicle at the delivery location. Where the Goods are collected by the Customer from Centurion the point of delivery shall be when the Goods are loaded onto the Customer's vehicle and signed for by the Customer.

6.8 Unless otherwise directed, all orders are accepted on a supply or cancel basis. Out of stock items will be cancelled without notice to the customer unless specifically requested to be kept on back order. In the event of the Customer requesting back orders, Centurion may deliver the Goods in instalments, which shall be invoiced and paid for separately.

Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.

6.9 Centurion will use commercially reasonable efforts to fulfil the Contract in accordance with the estimated delivery or shipping date. Centurion will not be responsible for any delays in fulfilling the Contract nor be liable for any losses or damages resulting from such delays, and the Contract will not be subject to cancellation for any such delays.

7. Title and Risk

7.1 Title in the Goods shall not pass to the Customer until Centurion receives payment for the Goods in full in cleared funds or in cash for those Goods. Until such time as title has passed to the Customer, the Customer shall:

- (i) have a right to possession (but not ownership) of such Goods and shall ensure that the Goods shall be clearly marked and identifiable as being Centurion's property;
- (ii) maintain the Goods in satisfactory condition and do not mark or deface packaging;
- (iii) notify Centurion immediately if it becomes subject to an Insolvency Event;
- (iv) permit Centurion to recover all or any part of such Goods at any time from the Customer if they are in the Customer's possession and the Customer becomes subject to an Insolvency Event and for that purpose Centurion, its agents and representatives may enter upon any land or building upon or in which such Goods are situated.

7.2 Dependant on order criteria, all merchandisers provided by Centurion are supplied either free on loan, on a deposit scheme or charged for in full. Merchandisers supplied either free on loan or on a deposit scheme are provided for the duration of displaying Centurion only products and remain the property of Centurion Europe Ltd. In the event of Customer closure, transfer of Customer ownership, or no longer displaying Centurion products, the merchandiser must be returned to Centurion at your cost, at which point deposits will be refunded if applicable. At no time should these merchandisers be included in your Company asset register.

8. Force Majeure

Centurion shall have no responsibility for any failure of or delay in delivery or performance of the Contract caused by or attributable to war, sabotage, riot, civil disorder, fire, flood, earthquake, pandemic, explosion, accident, natural or manmade disaster, governmental action, shortage or interruption of supply of materials, supplies, equipment or energy, transportation problem, strike, labour stoppage or slowdown, or other cause beyond the reasonable control of Centurion.

9. Inspection of Goods at point of Delivery

9.1 Special care should be taken on receipt of deliveries, especially where the delivery comprises of more than one box. Damage in transit must preferably be advised within 24 hours but not exceeding three working days of receipt. Wherever possible, if the damage is visible, please sign for the order as 'received damaged'. The Customer's failure in this respect will constitute a waiver of any such non-conformity or claim.

9.2 The Customer shall notify Centurion in respect of any shortages or overages that occur within 5 working days and must detail the relevant shipment number, item number, quantity of goods ordered, and quantity of goods received. Upon receipt of such notice, a Centurion customer service representative will respond with the proposed resolution within 5 working days.

10. Returns Policy

10.1 Before the Customer is entitled to return any Goods to Centurion, the Customer must first obtain the authorisation to return from Centurion.

10.2 Return of Goods ordered in error: If products are ordered in error by the Customer, at the discretion of Centurion we can only accept return of goods which are returned in as 'new condition' and within 30 days from date of delivery. Credit for these goods may be subject to a 20% re-stocking fee. It will not be possible for the Centurion to restock branded or specially made to order products. If any items returned are not in new condition and cannot be restocked or need reworking, credit may be refused.

10.3 Cost of returning the goods: The cost of returning any incorrectly ordered or unwanted products will be at the customers own cost. If the return is due to faulty or incorrectly received products, Centurion will

arrange for the return of goods at our cost. Please contact our Sales Office to organise this return.

10.4 Shortages/Damages: Refer to clauses 9.1 and 9.2.

10.5 Faulty Products: All products carry a minimum of 1-year guarantee. Any fault should be reported to our customer services team with the original proof of receipt at which point we will substantiate the fault and either issue a refund or replace the faulty item. Also refer to clause 10 for full warranty terms.

10.6 Procedure to Return Goods to Centurion: In the event that you have products to send back which qualify for return, please contact our sales office to arrange. You will need to provide the following information:

- Products and quantities being returned;
- Original supply details (i.e. invoice number);
- Number of boxes and approximate weight to be returned.

Once we have the full information, we will make the necessary arrangements for our carrier company to collect the box(es) from you.

An email will be sent to you with the return labels which must be printed and fixed to the boxes. If you do not have the facility to print the return labels, please let our team know and we can arrange for them to be posted to you. Any box which does not have the return label attached to it cannot be collected by the carrier.

Once the boxes have been collected and returned to us, we will arrange the necessary credit back to your account.

10.7 Centurion customer service department contact details:

Address: Centurion Europe Ltd, Hunt Lane, Doncaster, DN5 9SH

Tel: 01302 788700 | Fax: 01302 390004

E-mail: sales@centurioneurope.co.uk

11. Warranty

11.1 Centurion warrants to the Customer that the Goods will, at the time of delivery, conform in all material respects to the written description agreed to by the parties and included in the Contract, and be free from defects in material and workmanship.

11.2 Centurion shall, at its option, repair or replace defective Goods, or refund the price paid by Centurion's customer in full if:

- (i) the Customer gives notice in writing during the Warranty Period and within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out above;
- (ii) Centurion is given a reasonable opportunity of examining such Goods; and
- (iii) the Customer (if asked to do so by Centurion) returns such Goods to Centurion's place of business at Centurion's cost.

11.3 Centurion shall not be liable for the failure of the Goods to comply with the warranty if:

- (i) the Customer makes any further use of such Goods after giving a notice in accordance with the foregoing;
- (ii) the defect arises because the Customer failed to follow instructions as to the storage, installation, commissioning, use or maintenance of the Goods or (if there are none) good trade practice;
- (iii) the Customer alters or repairs such Goods;
- (iv) the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal working conditions.

11.4 Centurion's sole obligation and liability in the event of breach of warranty will be Centurion's refund against the original invoice for the amount paid by the Customer. Refunds are made in the form of a credit note back to the Customer's account.

11.5 Except to the extent such exclusion is prevented by law, Centurion makes no warranty whatsoever with respect to branded Goods manufactured by third party suppliers and warranties with respect to such Goods are limited to those which are offered by such suppliers and are transferable to the Customer.

12. Indemnity and Limitation of Liability

12.1 The Customer shall indemnify Centurion against all action, claims or demands by third parties, howsoever arising, directly or indirectly, (i) in connection with the use, functioning, performance or state of the Goods following delivery of the Goods to the extent the Goods are manufactured or packaged in accordance with the specification supplied by the Customer or use materials supplied by the Customer; and/or (ii) where any claim is made by a third party for actual or alleged infringement of a third party's intellectual property rights.

12.2 Under no circumstances shall Centurion be liable to the Customer in contract, tort (including negligence or breach of statutory duty) or otherwise for any of the following losses or damages, whether direct

or indirect, arising out of, or in connection with, the supply, non-supply or delay in supplying the Goods or otherwise in connection with the Contract or any other Contract between the parties:

- (i) loss or damage incurred by the Customer as a result of third party claims;
- (ii) loss of actual or anticipated profits;
- (iii) loss of actual or anticipated projects;
- (iv) loss of business opportunity;
- (v) loss of anticipated savings;
- (vi) loss of goodwill;
- (vii) injury to reputation; or
- (viii) any incidental, consequential or special loss or damages howsoever caused.

12.3 In any event, Centurion's liability to the Customer shall not exceed the purchase price of the Goods on which such liability is based. Except to the extent such exclusion is prevented by law, the Customer assumes all liability for any loss, damage or injury to persons or property arising out of, connected with, or resulting from the use of the Goods, either alone or in combination with other products.

12.4 Centurion shall not be responsible to the extent that the relevant loss is caused by an act or omission or the negligence of the Customer, its employees, agents or contractors or to the extent caused by the breach by the Customer of any of its obligations under any Contract.

12.5 Nothing in these Terms and Conditions shall exclude or limit Centurion's liability for (i) death or personal injury caused by Centurion's negligence, or the negligence of its employees, agents or subcontractors (ii) fraud or fraudulent misrepresentation or (iii) any other liability that cannot be lawfully excluded or limited.

13. Intellectual Property

Any Goods as sold by Centurion which are covered by a patent or intellectual property rights owned or controlled by Centurion, then no right, title or interest of authorship conceived or developed by Centurion during the course of performing the Contract or any other intellectual property right is transferred to the Customer. This foregoing shall not limit in any way the right of the Customer to use and sell such Goods. Unless otherwise stated, all images, artwork and graphics are the copyright of Centurion. All other images, icons and text are the copyright and/or trademark of the respective owners. Signs that are in the public domain because they have been created based on regulation, these icons, text and colour should be maintained and any copyright infringements are held by ISO and will result in signage not complying to ISO regulations. For signage/products outside of these regulations, we make every effort to produce original designs and on these occasions all artwork and designs are the sole property of Centurion. All original artwork and designs may not be copied, modified, altered, published, distributed, sold or transferred without prior written consent provided by a Centurion Director.

14. Termination

14.1 The Customer may not terminate the Contract without the prior consent of Centurion.

14.2 Without liability to the Customer, Centurion may terminate the Contract, or Order or related orders in the event that the Customer breaches the Contract (including, but not limited to, any failure to pay any debt due) and fails to remedy any such breach within ten (10) days of notification of any breach.

15. Data Protection

The information we collect and hold is strictly used by us and we will not share your personal data with third parties. We use your information to process your business requests and present you with the information you need to access our services. At times, with the intent of offering you the best possible service, we may use the data we store to send you information on Account status, Improvements or changes to our services, product discounts, promotional offers, general business news and updates. Should you not require us to email you with updates and promotional offers, please contact our Marketing department and we will remove your details from our system. At any time, you can request we give you access to the information we hold about you, you can also request we make any necessary modifications. A full copy of our Data Protection and Privacy Policy is available upon request.

16. Third Party Rights

A person who is not party to the Contract shall have no rights under the Contracts (Rights of Third Parties) Act 1999 to enforce any term of such contract, except that the Contract may be performed, and all rights thereunder may be enforced against the Customer, by Centurion or by any subsidiary, parent or affiliate of Centurion. This condition does not affect any right or remedy of any person which exists or is available otherwise than pursuant to that Act. The rights of the parties to terminate, rescind or agree any variation, waiver or settlement under the Contract are not subject to the consent of any other person.

17. Variation

The Contract may be modified only in writing and signed by an authorised representative of Centurion and the Customer.

18. Assignment

The Customer shall not assign, transfer, mortgage, charge, declare a trust over or deal in any way with all or part of the benefit, or its rights or benefits under, the Contract without the prior written consent of Centurion. A change in control, including without limitation by operation of law, merger, consolidation, or otherwise, shall be deemed an assignment under this condition. Any assignment in violation of this condition is null and void and we may terminate the Contract for an assignment without consent.

19. Entire Agreement


The Contract shall constitute the entire agreement between Centurion and the Customer with respect to its subject matter and shall supersede and extinguish all previous agreements, promises, assurances, warranties, representations and understandings between them, whether oral or written, with respect to its subject matter.

20. Governing Law and Jurisdiction

The performance of all obligations between Centurion and the Customer and the construction, validity of these terms and conditions shall be governed and construed according to the laws of the England and Wales, provided however, that the 1980 U.N. Convention on Contracts for the International Sale of Goods shall not apply. In respect of any legal action arising out of or relating to the Contract or the transactions contemplated by the Contract, Centurion and the Customer irrevocably agree to submit to the exclusive jurisdiction of the Courts of England and Wales. Any such action shall be conducted in English. Although these Terms and Conditions may be translated into other languages, the English version shall govern.



Company History



Order Form



Date:
Account No:
Customer Name:
Customer Address:
Post Code:

Customer Order No:
Customer Contact Name:
Customer Telephone No:
Sales Person:
Special Delivery Instructions:

	Product ID	Qty	Description	Price
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

	Product ID	Qty	Description	Price
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				

Comments:

New Account Application Form



Centurion Europe Limited

Centurion House
 Hunt Lane
 Doncaster, DN5 9SH
 Tel: +44 (0) 1302 788700
 Fax: +44 (0) 1302 390004
sales@centurioneurope.co.uk

Please complete in **BLOCK CAPITALS**

Date:			
Company Name:			
Company Address:		Key Contact Name:	
		Position:	
		Mobile No:	
		Email address:	
Telephone No:		Director(s)/Partner(s):	
Facsimile No:		Email address:	
Website address:		Accounts Contact:	
EORI Number:		Email address:	
Are you a Limited Company?:		Would you like to receive invoices & statements via email or post?	Email / Post (delete as appropriate)
Registration No:		Buying Contact:	
Years Trading:		Email address:	
VAT Reg No:		Would you like access to our website?	Yes / No
Reg. Office address: (if different from above)		If yes, confirm contact name and email	Contact: Email:
Nature of business:		Part of Buying / Invoice Group?:	
Where did you hear about us?:		Would you like to receive back orders?	
Amount of credit required:			

References

1. Trade name:		2. Trade name:	
Address:		Address:	
Tel:	Fax:	Tel:	Fax:

Bank Details

Bank Name:		Account No:	
Address:		Sort Code:	

Terms & Condition

I confirm that I have read, understand and agree to all terms and conditions as detailed in the Centurion Europe Limited Terms & Conditions reference CENT/TC07/23-1.

Name (Printed):		Date:	
Name (signature):		Position:	

Please note: This account application cannot be processed without an official signature accepting our Terms & Conditions. Please contact our Sales office to request a copy if needed.

For Office Use only	Credit Limit:	Authorised by:
	Account No:	Territory:
	Discount:	Price List:

As per our terms and conditions, we will never share your information with a third party and will only ever use it as a legitimate business interest to send you updates on your account along with product and promotional information.



CENTURION EUROPE LTD
Hunt Lane, Doncaster, DN5 9SH

Call: **01302 788 700**

Fax: **01302 390 004**

Email: **sales@centurioneurope.co.uk**

Visit: **centurioneurope.co.uk**

